



BCPCL

**Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGCL**

**REQUEST FOR QUOTATION
FOR**

**Procurement of Instruments and tools for Living Water treatment
and Sewage Water treatment systems for I&C Maintenance
Division.**

**BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGCL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh**

Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01

Issued On: November 06, 2025

Submission Deadline: November 13, 2025 on or before 12:00PM.





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

REQUEST FOR QUOTATION

for

Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division.

Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01

Issued On: November 06, 2025

To

1. BANGLADESH-CHINA POWER COMPANY LIMITED has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) shall not be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail on or before **November 13, 2025, 12:00PM**. The envelope containing the Quotation must be clearly marked "**Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division**" and "**DO NOT OPEN before November 13, 2025, 12:30PM**". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.



11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related *to updated valid Trade License, Tax Identification Number (TIN) and VAT Registration Number* without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. Specify Brand name, Country of Origin where applicable and provide a clear detail technical specification of each items otherwise tender will be considered non responsive.
17. The supply of Goods and related services shall be completed within **30 days** from the date of issuing the Purchase Order except Items No. 10. For Item no. 10 Delivery Period will be 60 days.
18. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **7 days** of receipt of approval from the Approving Authority.
19. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.



Shah Abdul Hasib
Superintending Engineer (Operation)
Bangladesh-China Power Company Limited

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCI /I&C/RFQ/2025-26/11.06-01

Issued On: November 06, 2025

Superintending Engineer (Operation)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8-Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division.**

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 23 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **November 06, 2025.**

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal
Date:



Price Schedule

Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division

Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01

Issued On: November 06, 2025

Sl.	Material Name	Specification	Unit	Qty	Unit Price	Total Price
1	Filter pressure reducing valve	Model: GFR 300-15 Max.Press:10Bar Adj Range:1.5 bar to 9bar Make: AIRTEC	PCS	08		
2	24V switching power supply	NDR-240-24 Input:100-240VAC,2.8A, Output:24V, 10A DC Make: MW (Mean Well)	PCS	02		
3	Relay with Base	Model No.: MY2N -6S, 24vdc 7A 30VDC Res,7A 250VDC Res Make: Omron	PCS	04		
4	Solenoid valve	Model No.: 4V110-06 Press. Range: 0.15- 0.8 Mpa Coil: DC24V,2.5W Voltage range: DC21.6V- 26.4V IP65 Make: AIRTAC	PCS	10		
5	Relay	MIY4N -GS, 220/240VAC 6A 30VDC Res,6A 250VDC Res, Make: Omron	PCS	04		
6	Schneider Electric LED 3-Position Illuminated Selector Switch Operator, Metal, Green	Model: ZBEE-101C Make: Schneider Electric	PCS	10		
7	Push Button, Flash, Yellow	Model: ZB2-BE101C Make: Schneider Electric	PCS	10		
8	Indicator Light, Green	Model: XB2-BVB3LC Make: Schneider Electric	PCS	05		
9	Indicator Light, Red	Model: XB2-BVB4LC Make: Schneider Electric	PCS	05		
10	Seko Dosing Pump Circuit	EMU9500277 R1.3 Ha 29231639-22 TPG 539355 539358 Make: SEKO	PCS	4		



Price Schedule Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01 Issued On: November 06, 2025						
Sl.	Material Name	Specification	Unit	Qty	Unit Price	Total Price
11	Limit Switch	Model: KW7-0 16A 250VAC ~μ 1E4 T125 16A 125 V with 3 short cables	PCS	50		
12	SMPS	NES-75-24, Input:100-240VAC, 2.0A, Output:24V, 3.2A DC Make: Meanwell	PCS	01		
13	Multimeter Fluke 17B+	Fluke	PCS	4		
14	Insulated Screw driver set	YATO with magnet (7Pcs) Brand: Yato or Equivalent	PCS	4		
15	Voltage tester	Make: Superstar or Equivalent	PCS	6		
16	Heavy Duty Combination Pliers	8 Inch, Model: Yato Brand YT-6622	PCS	4		
17	Hammer	(ball pein) 1 lb Brand:Yato or Equivalent	PCS	4		
18	spanner set YT-0363T	6mm-32mm, 25 Pcs combination Brand: Hans/Toptul	PCS	2		
19	Socket Set	41PCS Professional Grade 1/4" DR. Flank, Brand: Toptul	PCS	4		
20	YATO SIDE CUTTING PLIERS	7", Brand: Yato or Equivalent	PCS	4		
21	Nose pliers Yato	6inch, round, Brand:Yato	PCS	4		
22	Anti Cutter Knife	61X19 mm Utility Knife Tolsen	PCS	4		
23	Hex Allen key set	1.5 - 12.0 mm 10 Pcs set	PCS	4		
24	Star Allen key set	9pcs set	PCS	4		



Price Schedule Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division						
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01 Issued On: November 06, 2025						
Sl.	Material Name	Specification	Unit	Qty	Unit Price	Total Price
25	Wire Stripper with Cutter	7inch cutter	PCS	4		
26	Measuring tape	Range: 5 meter	PCS	4		
27	Torch Light	Geepas (rechargeable)	PCS	4		
28	adjustable wrench	6inch	PCS	4		
29	adjustable wrench	8inch	PCS	4		
30	adjustable wrench	10inch	PCS	4		
31	adjustable wrench	12inch	PCS	4		
32	needle file set	10 Pcs set	PCS	4		
33	¼ inch Drive Ratchet Socket Set (38 Pcs)	Dimension: 3.5mm-14mm Model: YT14471 Brand: YATO	PCS	2		
34	Electrician scissor	Multi Purpose	PCS	4		
35	Pipe wrench	12 inch	PCS	2		
36	Pipe wrench	6 inch	PCS	2		
37	Tools bag	13" (water proof)	PCS	5		
38	Hacksaw frame	12inch Professional adjustable	PCS	2		
39	Silicon gun	Silicon gun	PCS	2		



Price Schedule Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division						
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01 Issued On: November 06, 2025						
Sl.	Material Name	Specification	Unit	Qty	Unit Price	Total Price
40	Silicon	300ml, white color	PCS	10		
41	Glue 100 mL	Glue 100 mL	PCS	2		
42	Electrical insulated hand gloves	Function: insulating, wear resistance, waterproof materials: high quality Latex, liner: 13g nylon, size: Free, level: 400volt weight: 85	PCS	20		
43	2in 1, 800Watt Digital Soldering Station (with hot air gun).	Output Power: 800 Watt Size: 175 × 145 × 95 mm Soldering Iron: ESD Design	PCS	1		
44	Solder Lead 80gm	Solder Lead 80gm	PCS	10		
45	Ultrasonic Cleaning Solution for PCB and Motherboard Cleaning ESLOC (200 ML)	Ultrasonic Cleaning Solution for PCB and Motherboard Cleaning ESLOC (200 ML)	PCS	2		
46	Soldering Paste	Type: BK-150 Alloy: Sn 63/Pb37 Weight: 10g	PCS	2		
47	Paste Flux	Mechanic Soldering Flux Rosin No-clean MCN-UV80 Weight: 50g	PCS	2		
48	Desoldering Wire	Material: Copper Coated: Yes Weight :50 g	PCS	4		
49	Precision Art Knife	Precision Art Knife	PCS	2		
50	Iron Cleaner Soldering Iron Tip Cleaner	Iron Cleaner Soldering Iron Tip Cleaner	Pair	2		
51	PCB Holder	Adjustable Stainless steel PCB Holder for Soldering and De-Soldering	PCS	2		
52	Microscope	Model: DM908 Flex, Magnification: Up to 2000X, Screen: 10.1" Full HD IPS LCD, Lenses: 3	PCS	1		



Price Schedule

Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division

Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01

Issued On: November 06, 2025

Sl.	Material Name	Specification	Unit	Qty	Unit Price	Total Price
		Interchangeable (Macro, Zoom, Long-Focus) Light Source: Adjustable LED Ring Light Photo/Video Resolution: 1080p Connectivity: USB, HDMI MicroSD (up to 64GB) Power Source: AC adapter or USB power, Stand: Adjustable aluminum alloy bracket				
53	Screw driver set Computer Repair Kit	122 in 1 Magnetic Laptop Screwdriver Kit, Precision Screwdriver Set, Small Impact Screw Driver Set with Case for Computer, Laptop, PC, for iPhone, Watch, Ps4 DIY Hand Tools	PCS	1		
54	Cutting pliers	4.5 Inch Mini Side Cutter Plier	PCS	1		
55	Nose pliers	4.5" MINI ROUND NOSE PLIERS	PCS	1		
56	Desoldering Pump AES Desoldering Pump	Desoldering Pump AES Desoldering Pump	PCS	1		
57	Table	ESD Workbench Safety Product for PCB Repairing and Workstation with Back Panel Shape:1600*1000*1600mm	PCS	1		
58	Chair	40 Series ERGO-FIT Chairs Regular or ESD Safe	PCS	2		
59	MCB (2A)	xC60(A9N2P02C) 2A, DP,10KA, MCB (C Curve)	PCS	2		
60	Holder	Pin Type	PCS	2		
61	PIANO SWITCH	Smooth & Durable Made of Poly Carbonate Current: 6A	PCS	4		



Price Schedule						
Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division						
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01						
Issued On: November 06, 2025						
Sl.	Material Name	Specification	Unit	Qty	Unit Price	Total Price
		Voltage: 250 V AC				
62	PIANO 2-PIN SOCKET	Smooth & Durable Made of Poly Carbonate Current: 5A Voltage: 250 V AC	PCS	4		
63	PVC Board	White Plastic Pvc Multi-socket Electric Switch Board, Switch capacity: 10 Voltage rating: 240V	PCS	1		
64	Plug	2 Pin (10A)	PCS	2		
65	100W Bulb	Type: Incandescent	PCS	2		
Total Price Including TAX and VAT						

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW TPP site, Dhankhali Union, Kalapara, Patuakhali.
Delivery Offered	30 (thirty days) days from the date of issuing purchase order except Items No. 10. For Item no. 10 Delivery Period will be 60 days.

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

- Col. 1, 2, 3, 4, & 5 to be filled in by the Procuring Entity and Col. 6 & 7 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded, including transportation, insurance etc. Whatsoever



Technical Specification of
Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for
I&C Maintenance Division
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01
Issued On: November 06, 2025

Sl.	Material Name	Specification	Specification To be filled by Quotationers Please mention all the parameters
1	Filter pressure reducing valve	Model: GFR 300-15 Max.Press:10Bar Adj Range:1.5 bar to 9bar Make: AIRTEC	
2	24V switching power supply	NDR-240-24 Input:100-240VAC,2.8A, Output:24V, 10A DC Make: MW (Mean Well)	
3	Relay with Base	Model No.: MY2N -6S, 24vdc 7A 30VDC Res,7A 250VDC Res Make: Omron	
4	Solenoid valve	Model No.: 4V110-06 Press. Range: 0.15- 0.8 Mpa Coil: DC24V,2.5W Voltage range: DC21.6V-26.4V IP65 Make: AIRTAC	
5	Relay	MIY4N -GS, 220/240VAC 6A 30VDC Res,6A 250VDC Res, Make: Omron	
6	Schneider Electric LED 3-Position Illuminated Selector Switch Operator, Metal, Green	Model: ZBEE-101C Make: Schneider Electric	
7	Push Button, Flash, Yellow	Model: ZB2-BE101C Make: Schneider Electric	
8	Indicator Light, Green	Model: XB2-BVB3LC Make: Schneider Electric	
9	Indicator Light, Red	Model: XB2-BVB4LC Make: Schneider Electric	
10	Seko Dosing Pump Circuit	EMU9500277 R1.3 Ha 29231639-22 TPG 539355 539358 Make: SEKO	
11	Limit Switch	Model: KW7-0 16A 250VAC ~μ 1E4 T125 16A 125 V with 3 short cables	
12	SMPS	NES-75-24, Input:100-240VAC, 2.0A, Output:24V, 3.2A DC Make: Meanwell	
13	Multimeter Fluke 17B+	Fluke	



Technical Specification of
Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for
I&C Maintenance Division
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01
Issued On: November 06, 2025

Sl.	Material Name	Specification	Specification To be filled by Quotationers Please mention all the parameters
14	Insulated Screw driver set	YATO with magnet (7Pcs) Brand: Yato or Equivalent	
15	Voltage tester	Brand: Superstar or Equivalent	
16	Heavy Duty Combination Pliers	8 Inch, Model: Yato Brand YT-6622	
17	Hammer	(ball pein) 1 lb Brand:Yato or Equivalent	
18	spanner set YT-0363T	6mm-32mm, 25 Pcs combination Brand: Hans/Toptul	
19	Socket Set	41PCS Professional Grade 1/4" DR. Flank, Brand: Toptul	
20	YATO SIDE CUTTING PLIERS	7", Brand: Yato or Equivalent	
21	Nose pliers Yato	6inch, round, Brand:Yato	
22	Anti Cutter Knife	61X19 mm Utility Knife Tolsen	
23	Hex Allen key set	1.5 - 12.0 mm 10 Pcs set	
24	Star Allen key set	9pcs set	
25	Wire Stripper with Cutter	7inch cutter	
26	Measuring tape	Range: 5 meter	
27	Torch Light	Geepas (rechargeable)	
28	adjustable wrench	6inch	
29	adjustable wrench	8inch	
30	adjustable wrench	10inch	
31	adjustable wrench	12inch	
32	needle file set	10 Pcs set	
33	¼ inch Drive Ratchet Socket Set (38 Pcs)	Dimension: 3.5mm-14mm Model: YT14471 Brand: YATO	
34	Electrician scissor	Multi Purpose	



Technical Specification of
Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for
I&C Maintenance Division
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01
Issued On: November 06, 2025

Sl.	Material Name	Specification	Specification To be filled by Quotationers Please mention all the parameters
35	Pipe wrench	12 inch	
36	Pipe wrench	6 inch	
37	Tools bag	13" (water proof)	
38	Hacksaw frame	12inch Professional adjustable	
39	Silicon gun	Silicon gun	
40	Silicon	300ml, white color	
41	Glue 100 mL	Glue 100 mL	
42	Electrical insulated hand gloves	Function: insulating, wear resistance, waterproof materials: high quality Latex, liner: 13g nylon, size: Free, level: 400volt weight: 85	
43	2in 1, 800Watt Digital Soldering Station (with hot air gun).	Output Power: 800 Watt Size: 175 × 145 × 95 mm Soldering Iron: ESD Design	
44	Solder Lead 80gm	Solder Lead 80gm	
45	Ultrasonic Cleaning Solution for PCB and Motherboard Cleaning ESLOC (200 ML)	Ultrasonic Cleaning Solution for PCB and Motherboard Cleaning ESLOC (200 ML)	
46	Soldering Paste	Type: BK-150 Alloy: Sn 63/Pb37 Weight: 10g	
47	Paste Flux	Mechanic Soldering Flux Rosin No-clean MCN-UV80 Weight: 50g	
48	Desoldering Wire	Material: Copper Coated: Yes Weight :50 g	
49	Precision Art Knife	Precision Art Knife	
50	Iron Cleaner Soldering Iron Tip Cleaner	Iron Cleaner Soldering Iron Tip Cleaner	
51	PCB Holder	Adjustable Stainless steel PCB Holder for Soldering and De-Soldering	



Technical Specification of
Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for
I&C Maintenance Division
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01
Issued On: November 06, 2025

Sl.	Material Name	Specification	Specification To be filled by Quotationers Please mention all the parameters
52	Microscope	Model: DM908 Flex, Magnification: Up to 2000X, Screen: 10.1" Full HD IPS LCD, Lenses: 3 Interchangeable (Macro, Zoom, Long-Focus) Light Source: Adjustable LED Ring Light Photo/Video Resolution: 1080p Connectivity: USB, HDMI MicroSD (up to 64GB) Power Source: AC adapter or USB power, Stand: Adjustable aluminum alloy bracket	
53	Screw driver set Computer Repair Kit	122 in 1 Magnetic Laptop Screwdriver Kit, Precision Screwdriver Set, Small Impact Screw Driver Set with Case for Computer, Laptop, PC, for iPhone, Watch, Ps4 DIY Hand Tools	
54	Cutting pliers	4.5 Inch Mini Side Cutter Plier	
55	Nose pliers	4.5" MINI ROUND NOSE PLIERS	
56	Desoldering Pump AES Desoldering Pump	Desoldering Pump AES Desoldering Pump	
57	Table	ESD Workbench Safety Product for PCB Repairing and Workstation with Back Panel Shape:1600*1000*1600mm	
58	Chair	40 Series ERGO-FIT Chairs Regular or ESD Safe	
59	MCB (2A)	xC60(A9N2P02C) 2A, DP,10KA, MCB (C Curve)	
60	Holder	Pin Type	
61	PIANO SWITCH	Smooth & Durable Made of Poly Carbonate Current: 6A Voltage: 250 V AC	
62	PIANO 2-PIN SOCKET	Smooth & Durable Made of Poly Carbonate Current: 5A	



Technical Specification of
Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for
I&C Maintenance Division
Issued Ref.: BCPCL/I&C/RFQ/2025-26/11.06-01
Issued On: November 06, 2025

Sl.	Material Name	Specification	Specification To be filled by Quotationers Please mention all the parameters
		Voltage: 250 V AC	
63	PVC Board	White Plastic Pvc Multi-socket Electric Switch Board, Switch capacity: 10 Voltage rating: 240V	
64	Plug	2 Pin (10A)	
65	100W Bulb	Type: Incandescent	



Terms and Conditions for Procurement of Instruments and tools for Living Water treatment and Sewage Water treatment systems for I&C Maintenance Division

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **30 days** of issuing the Purchase Order except Items No. 10. For Item no. 10 Delivery Period will be 60 days in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT **[insert figure] [in words]**.
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall correct any defect covered by the Warranty period within 15 days of being notified by the Procuring Entity of the occurrences of any defect.
14. The Warranty Period may be extended for as long as the Defects notified by the Procuring Entity remain to be corrected.
15. If the Supplier has not corrected a Defect within the time specified in the Procuring Entity's notice, the Procuring Entity shall assess the cost of having the Defects corrected by it, and the Supplier shall remain liable to pay the expenditures incurred on account of correction of such Defects.
16. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.



17. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
18. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.
19. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
20. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
21. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
22. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
23. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.
24. The Supplier shall provide certification from Manufacturer regarding authentic product.



