



BCPCL
Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGCL

**REQUEST FOR QUOTATION
FOR RFQ**

**Procurement of Consumables item for Class-C Maintenance of
Unit-2 for Payra 1320MW TPP**

BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGCL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04
Issued On: January 26, 2026

Submission Deadline: February 03, 2026 on or before 12:00PM.





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGCL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail:info@bcpcl.org.bd

REQUEST FOR QUOTATION

For RFQ

Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04

Issued On: 26 January, 2026

To

1. BANGLADESH-CHINA POWER COMPANY LIMITED has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) shall not be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail on or before **February 03, 2026, 12:00PM**. The envelope containing the Quotation must be clearly marked **Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP** and "DO NOT OPEN before **February 03, 2026, 12:30 PM**". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.



11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related **to updated valid Trade License, Tax Identification Number (TIN) and VAT Registration Number** without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. Specify Brand name, Country of Origin where applicable and provide a clear detail technical specification of each items otherwise tender will be considered non responsive. "As per tender Document" in the Technical Specification Column is strictly prohibited.
17. The supply of Goods and related services shall be completed within **30 days** from the date of issuing the Purchase Order.
18. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **7 days** of receipt of approval from the Approving Authority.
19. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Rashed
26/01/2026

Rashed Morshed
Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04
Issued On: 26 January, 2026

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **FRQ of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP**

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 23 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **January 26, 2026**.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotator with Seal
Date:



Price Schedule

of

Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04

Issued On: 26 January, 2026

SL	Item with Specification	Unit	Quantity	Unit Price BDT	Total Price BDT
1	Air supply tubes Specification: $\phi 16 \times 12$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 16 \times 12$ mm Manufacturer: AIRTEC Pneumatic Tubes	Meter	100		
2	Air supply tubes Specification: $\phi 14 \times 10$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 14 \times 10$ mm Manufacturer: AIRTEC Pneumatic Tubes	Meter	100		
3	Air supply tubes Specification: $\phi 10 \times 6.5$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 10 \times 6.5$ mm Manufacturer: AIRTEC Pneumatic Tubes	Meter	100		
4	Air supply tubes Specification: $\phi 8 \times 5$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 8 \times 5$ mm Manufacturer: AIRTEC Pneumatic Tubes	Meter	400		
5	Air supply tubes Specification: $\phi 6 \times 4$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 6 \times 4$ mm Manufacturer: AIRTEC Pneumatic Tubes	Meter	100		
6	Single-core wire Specification: 1.5mm ² Material- Copper Core-Single Core Cable Type- BYA Voltage- 450/750V Size-1.5mm ² Current Rating-20A Manufacturer: BRB/Poly Cable	Meter	100		
7	Type K thermocouple compensation wires Specification: Two cores Type: ZC-KX-HS200-FPF-2A-1 \times (2 \times 1.5) Manufacturer: TZNUOYI	Meter	500		
8	Batteries Specification: 1.5V Type-Alkaline 5 Manufacturer: Sony/Panasonic/Maxell	pcs	40		
9	Batteries Specification: Alkaline 5 (R6AAA) Size-AAA Nominal voltage-1.5V Type-Alkaline 7 Manufacturer: Sony/Panasonic/Maxell	pcs	20		
10	Battery Specification: 9V (6F22-1604G-9V) Nominal voltage-9V Type-Alkaline Model- 6F22 Manufacturer: Sony/Panasonic/Maxell	pcs	30		



Price Schedule of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP					
Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04					
Issued On: 26 January, 2026					
SL	Item with Specification	Unit	Quantity	Unit Price BDT	Total Price BDT
11	Marker Specification: Red-6		6		
12	Marker Specification: Black-8		8		
13	Marker Specification: Blue-6	pcs	6		
14	Paint Marker Specification: black	pcs	5		
15	Paint Marker Specification: white	pcs	5		
16	Paint Marker Specification: red	pcs	5		
17	Labeler Ribbon Specification: Size- 12mm Manufacturer: Beijing Yihexin/Yihero Technology Co. Ltd.	Tray	10		
18	Labeler Ribbon Specification: Size- 18mm Manufacturer: Beijing Yihexin/Yihero Technology Co. Ltd.	Tray	10		
19	Labeler Ribbon Specification: Size- 24mm Beijing Yihexin/Yihero Technology Co. Ltd.	Tray	10		
20	Transparent Tape Specification: Size- 4.2mm	Tray	10		
21	3M Insulation Tape Specification: Red color Manufacturer: OSAKA	Tray	40		
22	3M Insulation Tape Specification: Black Manufacturer: OSAKA	Tray	60		
23	3M Insulation Tape Specification: Green Manufacturer: OSAKA	Tray	20		
24	3M Insulation Tape Specification: Yellow Manufacturer: OSAKA	Tray	50		
25	3M Insulation Tape Specification: White Manufacturer: OSAKA	Tray	30		
26	PTFE tape Specification: white	Tray	10		
27	Yellow Wax Tube Insulation Sleeve Specification: Diameter-4mm	meter	20		
28	Yellow Wax Tube Insulation Sleeve Specification: Diameter-6mm	meter	20		
29	Nylon Tie Tape Specification: 3*100 W×L - 3×100 mm	pcs	500		
30	Nylon Tie Tape Specification: 4×200 mm W×L - 4×200 mm	pcs	500		
31	Nylon Tie Tape Specification: 4×250 mm W×L - 4×250 mm	pcs	500		



Price Schedule

of

Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04

Issued On: 26 January, 2026

SL	Item with Specification	Unit	Quantity	Unit Price BDT	Total Price BDT
32	Nylon cable Tape Specification: 5×250 mm W×L - 5×250 mm	pcs	500		
33	Purple copper washer Specification: $\phi 27 \times 10 \times 2$ mm O.D.× I.D.× Thickness - $\phi 27 \times 10 \times 2$ mm Material- Copper Manufacturer: Daoguan	pcs	100		
34	Purple copper washer Specification: $\phi 22 \times 10 \times 2$ mm O.D.× I.D.× Thickness - $\phi 22 \times 10 \times 2$ mm Material- Copper Manufacturer: Daoguan	pcs	100		
35	Purple copper washer Specification: $\phi 18 \times 8 \times 3$ mm O.D.× I.D.× Thickness – $\phi 18 \times 8 \times 3$ mm Material- Copper Manufacturer: Daoguan	pcs	200		
36	Purple copper washer Specification: $\phi 16 \times 8 \times 2$ mm O.D.× I.D.× Thickness - $\phi 16 \times 8 \times 2$ mm Material- Copper Manufacturer: Daoguan	pcs	50		
37	Purple copper washer Specification: $\phi 12 \times 6 \times 2$ mm O.D.× I.D.× Thickness – $\phi 12 \times 6 \times 2$ mm Material- Copper Manufacturer: Daoguan	pcs	50		
38	Polytetrafluoroethylene washer Specification: $\phi 18 \times 10 \times 2$ mm O.D.× I.D.× Thickness – $\phi 18 \times 10 \times 2$ mm Material-PTFE Temperature range- -73 to 240°C Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd. (YFENG Flurine)	pcs	200		
39	Polytetrafluoroethylene washer Specification: $\phi 16 \times 8 \times 2$ mm O.D.× I.D.× Thickness – $\phi 16 \times 8 \times 2$ mm Material- Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd.	pcs	100		
40	Polytetrafluoroethylene washer Specification: $\phi 12 \times 6 \times 2$ mm	pcs	100		



Price Schedule of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP					
Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04					
Issued On: 26 January, 2026					
SL	Item with Specification	Unit	Quantity	Unit Price BDT	Total Price BDT
	O.D.× I.D.× Thickness – φ12×6×2 mm Material-PTFE Temperature range- -73 to 240°C Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd. (YFENG Flurine)				
41	Silicon Refuge Sealant Specification: Type- HZ-1213B Manufacturer: Wuxi City Lily Adhesion Agent Factory Co. Ltd.	piece	10		
42	Plastic Cloth Specification: Width-2 meter Thickness- 0.2mm Type- Single Part, Transparent	kg	50		
43	Bolt Loosening Agent Specification: WD-40 Manufacturer: U.S.A	Can	10		
44	Fireproof Mud Specification: Material: Gelatinous Mud Heat Resistance: 90°C, no flow, no foam	kg	10		
45	Precision electronic Cleaners Specification: CRC PR02016C Manufacturer: CRC U.S.A	bottle	10		
46	saw bow auxiliary material Specification: Saw blade (compatible with saw bow) Manufacturer: SATA or equivalent	pcs	50		
47	Brush Specification: Size: 1inch	pcs	30		
48	Brush Specification: Size: 2inch	pcs	50		
49	Brush Specification: Size: 3inch	pcs	30		
50	polishing machine auxiliary material Specification: Polishing disc (for use with φ100 polishing machine) Manufacturer: Golden TATA	pcs	50		
51	Polishing machine auxiliary material Specification: Cutting disc (for use with φ100 polishing machine)/105*1.2*16 Manufacturer: Golden TATA	Pcs	50		
52	Broken cloth (cotton yarn) Specification: Cotton yarn (White color)	kg	50		
53	White cloth tape Specification:	roll	50		



Price Schedule of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra 1320MW TPP					
Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04					
Issued On: 26 January, 2026					
SL	Item with Specification	Unit	Quantity	Unit Price BDT	Total Price BDT
	Material: Cotton; Width: about 15mm; Type: Roll shaped				
54	Leather notebook Specification: Notebook	Pcs	18		
55	Leather Protector & Arc flash gloves Specification: ILPG10 Manufacturer: Honeywell or equivalent	pair	60		
56	Graphite gasket Specification: 24*18*3mm Manufacturer: shen mai	Pcs	100		
57	Nylon gasket Specification: 24*18*3mm Manufacturer: Wenzhou Yongfeng Fluroplastic Co. Ltd. (YFENG Flurine)	Pcs	100		
58	Red copper gasket Specification: 24*18*3mm Manufacturer: Daoguan	Pcs	100		
Total Price including TAX and VAT					

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW TPP site, Dhankali Union, Kalapara, Patuakhali.
Delivery Offered	30 (thirty) days from the date of issuing purchase order.

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotatorer with Seal	Date:
Name of the Quotatorer	

Note:

1. Col. 1, 2, 3, 4to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotatorer.
2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded, including transportation, insurance etc. Whatsoever



**Technical Specification of
RFQ of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra
1320MW TPP**

**Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04
Issued On: 26 January, 2026**

SL	Item with Specification	Specification To be filled by Quotationers Please mention all the parameters
1	Air supply tubes Specification: $\phi 16 \times 12$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 16 \times 12$ mm Manufacturer: AIRTEC Pneumatic Tubes	
2	Air supply tubes Specification: $\phi 14 \times 10$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 14 \times 10$ mm Manufacturer: AIRTEC Pneumatic Tubes	
3	Air supply tubes Specification: $\phi 10 \times 6.5$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 10 \times 6.5$ mm Manufacturer: AIRTEC Pneumatic Tubes	
4	Air supply tubes Specification: $\phi 8 \times 5$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 8 \times 5$ mm Manufacturer: AIRTEC Pneumatic Tubes	
5	Air supply tubes Specification: $\phi 6 \times 4$ mm Material- Plastic (PU) O.D. \times I.D. - $\phi 6 \times 4$ mm Manufacturer: AIRTEC Pneumatic Tubes	
6	Single-core wire Specification: 1.5mm ² Material- Copper Core-Single Core Cable Type- BYA Voltage- 450/750V Size-1.5mm ² Current Rating-20A Manufacturer: BRB/Poly Cable	
7	Type K thermocouple compensation wires Specification: Two cores Type: ZC-KX-HS200-FPF-2A-1 \times (2 \times 1.5) Manufacturer: TZNUOYI	
8	Batteries Specification: 1.5V Type-Alkaline 5 Manufacturer: Sony/Panasonic/Maxell	
9	Batteries Specification: Alkaline 5 (R6AAA) Size-AAA Nominal voltage-1.5V Type-Alkaline 7 Manufacturer: Sony/Panasonic/Maxell	
10	Battery Specification: 9V (6F22-1604G-9V)	



**Technical Specification of
RFQ of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra
1320MW TPP**

**Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04
Issued On: 26 January, 2026**

SL	Item with Specification	Specification To be filled by Quotationers Please mention all the parameters
	Nominal voltage-9V Type-Alkaline Model-6F22 Manufacturer: Sony/Panasonic/Maxell	
11	Marker Specification: Red-6	
12	Marker Specification: Black-8	
13	Marker Specification: Blue-6	
14	Paint Marker Specification: black	
15	Paint Marker Specification: white	
16	Paint Marker Specification: red	
17	Labeler Ribbon Specification: Size- 12mm Manufacturer: Beijing Yihexin/Yihero Technology Co. Ltd.	
18	Labeler Ribbon Specification: Size- 18mm Manufacturer: Beijing Yihexin/Yihero Technology Co. Ltd.	
19	Labeler Ribbon Specification: Size- 24mm Beijing Yihexin/Yihero Technology Co. Ltd.	
20	Transparent Tape Specification: Size- 4.2mm	
21	3M Insulation Tape Specification: Red color Manufacturer: OSAKA	
22	3M Insulation Tape Specification: Black Manufacturer: OSAKA	
23	3M Insulation Tape Specification: Green Manufacturer: OSAKA	
24	3M Insulation Tape Specification: Yellow Manufacturer: OSAKA	
25	3M Insulation Tape Specification: White Manufacturer: OSAKA	
26	PTFE tape Specification: white	
27	Yellow Wax Tube Insulation Sleeve Specification: Diameter-4mm	
28	Yellow Wax Tube Insulation Sleeve Specification: Diameter-6mm	
29	Nylon Tie Tape Specification: 3*100 W×L - 3×100 mm	



**Technical Specification of
RFQ of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra
1320MW TPP**

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04

Issued On: 26 January, 2026

SL	Item with Specification	Specification To be filled by Quotationers Please mention all the parameters
30	Nylon Tie Tape Specification: 4×200 mm W×L - 4×200 mm	
31	Nylon Tie Tape Specification: 4×250 mm W×L - 4×250 mm	
32	Nylon cable Tape Specification: 5×250 mm W×L - 5×250 mm	
33	Purple copper washer Specification: $\phi 27 \times 10 \times 2$ mm O.D.× I.D.× Thickness - $\phi 27 \times 10 \times 2$ mm Material- Copper Manufacturer: Daoguan	
34	Purple copper washer Specification: $\phi 22 \times 10 \times 2$ mm O.D.× I.D.× Thickness - $\phi 22 \times 10 \times 2$ mm Material- Copper Manufacturer: Daoguan	
35	Purple copper washer Specification: $\phi 18 \times 8 \times 3$ mm O.D.× I.D.× Thickness – $\phi 18 \times 8 \times 3$ mm Material- Copper Manufacturer: Daoguan	
36	Purple copper washer Specification: $\phi 16 \times 8 \times 2$ mm O.D.× I.D.× Thickness - $\phi 16 \times 8 \times 2$ mm Material- Copper Manufacturer: Daoguan	
37	Purple copper washer Specification: $\phi 12 \times 6 \times 2$ mm O.D.× I.D.× Thickness – $\phi 12 \times 6 \times 2$ mm Material- Copper Manufacturer: Daoguan	
38	Polytetrafluoroethylene washer Specification: $\phi 18 \times 10 \times 2$ mm O.D.× I.D.× Thickness – $\phi 18 \times 10 \times 2$ mm Material-PTFE Temperature range- -73 to 240°C Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd. (YFENG Flurine)	
39	Polytetrafluoroethylene washer Specification: $\phi 16 \times 8 \times 2$ mm O.D.× I.D.× Thickness – $\phi 16 \times 8 \times 2$ mm	



**Technical Specification of
RFQ of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra
1320MW TPP**

**Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04
Issued On: 26 January, 2026**

SL	Item with Specification	Specification To be filled by Quotationers Please mention all the parameters
	Material- Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd.	
40	Polytetrafluoroethylene washer Specification: φ12×6×2 mm O.D. x I.D. x Thickness – φ12×6×2 mm Material-PTFE Temperature range- -73 to 240°C Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd. (YFENG Flurine)	
41	Silicon Refuge Sealant Specification: Type- HZ-1213B Manufacturer: Wuxi City Lily Adhesion Agent Factory Co. Ltd.	
42	Plastic Cloth Specification: Width-2 meter Thickness- 0.2mm Type- Single Part, Transparent	
43	Bolt Loosening Agent Specification: WD-40 Manufacturer: U.S.A	
44	Fireproof Mud Specification: Material: Gelatinous Mud Heat Resistance: 90°C, no flow, no foam	
45	Precision electronic Cleaners Specification: CRC PR02016C Manufacturer: CRC U.S.A	
46	saw bow auxiliary material Specification: Saw blade (compatible with saw bow) Manufacturer: SATA or equivalent	
47	Brush Specification: Size: 1inch	
48	Brush Specification: Size: 2inch	
49	Brush Specification: Size: 3inch	
50	polishing machine auxiliary material Specification: Polishing disc (for use with φ100 polishing machine) Manufacturer: Golden TATA	
51	Polishing machine auxiliary material Specification: Cutting disc (for use with φ100 polishing	



**Technical Specification of
RFQ of Procurement of Consumables item for Class-C Maintenance od Unit-2 for Payra
1320MW TPP**

**Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0126.04
Issued On: 26 January, 2026**

SL	Item with Specification	Specification To be filled by Quotatiorers Please mention all the parameters
	machine)/105*1.2*16 Manufacturer: Golden TATA	
52	Broken cloth (cotton yarn) Specification: Cotton yarn (White color)	
53	White cloth tape Specification: Material: Cotton; Width: about 15mm; Type: Roll shaped	
54	Leather notebook Specification: Notbook	
55	Leather Protector & Arc flash gloves Specification: ILPG10 Manufacturer: Honeywell or equivalent	
56	Graphite gasket Specification: 24*18*3mm Manufacturer: shen mai	
57	Nylon gasket Specification: 24*18*3mm Manufacturer: Wenzhou Yongfeng Fluoroplastic Co. Ltd. (YFENG Flurine)	
58	Red copper gasket Specification: 24*18*3mm Manufacturer: Daoguan	



**Purchase Order
FOR**

**Procurement of Consumables item for Class-C Maintenance od Unit-2 for
Payra 1320MW TPP**

Purchase Order No. :

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,


(Rashed Morshed)
Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited



Terms and Conditions for

Procurement of Consumables item for Class-C Maintenance of Unit-2 for Payra 1320MW TPP

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **30 days** of issuing the Purchase Order.
4. **The Supplier shall supply all original Product. Copy product shall not be accepted.**
5. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
6. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
7. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
8. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
9. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT **[insert figure] [in words]**.
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall correct any defect covered by the Warranty period within 15 days of being notified by the Procuring Entity of the occurrences of any defect.
14. The Warranty Period may be extended for as long as the Defects notified by the Procuring Entity remain to be corrected.
15. If the Supplier has not corrected a Defect within the time specified in the Procuring Entity's notice, the Procuring Entity shall assess the cost of having the Defects corrected by it, and the Supplier shall remain liable to pay the expenditures incurred on account of correction of such Defects.
16. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.



17. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
18. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.
19. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
20. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
21. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
22. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
23. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.

