



BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

**REQUEST FOR QUOTATION
FOR**

**Procurement of civil maintenance works at power block and residential area
buildings for Payra 1320MW TPP**

**BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGL)**

Issued Ref.: BCPCL/CIVIL/RFQ/2026-27/2208.01

Issued On: 25.08.2026

Submission Deadline: September 03, 2026; before 12.30 pm





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGCL

11. Qu

REQUEST FOR QUOTATION

for

**Procurement of civil maintenance works at power block and residential area buildings for
Payra 1320MW TPP**

Issued Ref.: BCPCL/Civil/RFQ/2026-27/2508.01

Issued On: 28.08.2026

To

1. Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications and Design & Drawings for the intended Works and physical services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation is being requested on Unit-Rate/Lump-sum basis.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and execution of the Works (if awarded) respectively. Quotation in a sealed envelope or by fax or through electronic mail or before 12:30 PM on **September 03, 2026**. The envelope containing the Quotation must be clearly marked **"Procurement for Civil Maintenance Works at power block and residential area buildings of Payra 1320 MW TPP"**. and DO NOT OPEN before 1:00 P.M. on **September 03, 2026**. Quotations received later than the time specified herein shall not be accepted.
6. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
7. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
8. Quotation shall be submitted as per Bill of Quantities of Works and physical services.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related to valid Trade License, Tax Identification Number (TIN) VAT Registration Number, Bank Solvency without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. The execution of Works and physical services shall be completed within 60 (Sixty) days from the date of signing of contract.
17. Letter inviting the successful Quotationer to sign the Contract shall be issued within 02 (two) days of receipt of approval from the Approving Authority. The Contract shall have to be signed within 02 (two) days of issuing such Letter of Invitation.
18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Mubassir Khan

Executive Engineer (Civil)

Bangladesh-China Power Company Limited

Payra 1320 MW TPPP

e-mail: mkhan@bcpcl.org.bd

Distribution:

1. Notice Board.
2. Office File.





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

Quotation Submission Letter

Issued Ref.: **BCPCL/CIVIL/RFQ/2026-27/2208.01**

Issued On: **25.08.2026**

Executive Engineer (Civil)
Bangladesh-China Power Company (Pvt.) Limited
Payra 1320 MW TPPP
Kalapara, Patuakhali.

19. I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Procurement for Civil Maintenance Works at the power block and residential area buildings of Payra 1320 MW TPP**

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 22 (e) of the Conditions of Contract and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on September 03, 2026

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.



Signature of Quotationer with Seal
Date:

**BCPCL****Bangladesh-China Power Company Ltd.**

A Joint Venture of CMC & NWPGL

Price Schedule

Sl. No.	Item Name	Unit	Quantity	Unit Price Including VAT & TAX	Total Price Including VAT & TAX
1	Supplying, fitting and fixing of horizontal zebra blind made with polyester fabrics, synthetic net with 3 inch vinyl/upvc coated strips (foreign made) with supply of all materials (foreign made) such as head rail, bottom rail, rod tilt, head cap, bottom cap, gear box, stick, support and cap, cord drum and support, bracket, cord lock, cord equalizer, top holder, ladder, cord, handling cord and aluminium foils etc. all complete and accepted by the Engineer-in-charge.	Sqm	53.32		
2	Supplying, fitting and fixing horizontal venetian blinds of 25 mm width made with aluminium foils/ strips (foreign made) with supply of all materials (foreign made) such as head rail, bottom rail, rod tilt, head cap, bottom cap, gear box, stick, support and cap, cord drum and support, bracket, cord lock, cord equalizer, top holder, ladder, cord, handling cord and aluminium foils etc. all complete and accepted by the Engineer-in-charge.	Sqm	84.00		
3	Interior standard acrylic emulsion paint (plastic or matt finish) of approved best quality and colour delivered from authorized local agent of the manufacturer in a sealed container; applying to interior wall and ceiling with surface preparation including cleaning drying, making free from dirt, grease, wax, removing all chalked and scaled materials, fungus, mending good the surface defects using sand paper and necessary scaffolding; applying necessary interior sealer of specified brand on prepared surface; then applying necessary interior putty of specified brand for levelling, spot filling, crack filling and cutting by sand paper/zero water paper; finally applying 2 coats of interior emulsion paint spreading by brush/roller/spray & necessary scaffolding etc. up to desired finishing, elapsing specified time for drying or recoating; all complete in all floors and accepted by the Engineer-in-charge.	Sqm	119.07		
4	Supply, fabrication and installation of MS Door. Door Size 1.8m x 4.7m; MS Box Size 75mm x 50mm x 3mm, horizontally and vertically MS flat bar 25mm x 3mm @ 600mm c/c vertically 18 BWG Ms sheet (Including Standard synthetic enamel Paint)	Kg	275.00		
5	Renewal of 6 mm glass panes, including supply of glass	Sqm	7.73		
6	Supply, fitting, fixing and punch an 18mm hole in a 5mm customized M.S. plate (150mm x 75mm) at the swing door hinge point.	Nos	12.00		
7	Supplying, fitting and fixing of 0.6 mm thick best quality solid aluminium metal board false ceiling (drop/ plain) of size 600 mm x 600 mm, powder coated of approved design, framing by aluminium T-bar of natural anodized finish suspended in 600 mm x 600 mm grid from ceiling by 12 SWG double ply wire, fixed to the ceiling by rowel plug, screws, hooks, nails etc., maintaining straight lines and desired finished level at bottom face including vertical wooden strut as required, making holes in slabs or beams	Sqm	13.85		



**BCPCL****Bangladesh-China Power Company Ltd.**

A Joint Venture of CMC & NWPGL

Sl. No.	Item Name	Unit	Quantity	Unit Price Including VAT & TAX	Total Price Including VAT & TAX
	by electric drill machine and mending good the damages, if any during execution of the work, including the provisions of lighting arrangement, also including cost of all materials, electricity, accessories, scaffoldings, labour for installation, screws, nails, etc. all complete as per drawing, design and accepted by the Engineer-in-charge. Measurement will be taken as per finished surface area.				
8	Supplying, fitting and fixing country made mirror polished homogeneous floor tiles complying BDS ISO 13006: 2015, water absorption $\leq 0.5\%$, modulus of rupture (MOR) ≥ 27 N/mm ² , irrespective of color &/or design, with 20 mm thick cement sand (F.M. 1.2) mortar (1:4) base and raking out the joints with white cement including cutting and laying the tiles in proper way and finishing with care etc. all complete and accepted by the Engineer-in-charge. (Cement: CEM-II/B-M) In ground floor. GP (mirror polished) 800 mm x 800 mm floor tiles	Sqm	110.40		
9	Supplying, fitting and fixing country made GP (Gress Porcellanto) - glazed or unglazed homogeneous floor tiles complying BDS ISO 13006: 2015, water absorption $\leq 0.5\%$, modulus of rupture (MOR) ≥ 27 N/mm ² , irrespective of color &/or design, with 20 mm thick cement sand (F.M. 1.2) mortar (1:4) base and raking out the joints with white cement including cutting and laying the tiles in proper way and finishing with care etc. all complete and accepted by the Engineer-in-charge. (Cement: CEM-II/B-M). In ground floor GP (homogeneous) 300 mm x 300 mm floor tiles	sqm	1.8		
10	Supply, fitting and fixing tower bolt/sitkani in window (6 inch)	Nos	10.00		
11	Supply and installation 3mm thickness 1.2m x 2.4m size Grey coloured ACP Board.	Nos	2.00		
12	Supplying, fitting & fixing Urinal Flush Valve (Haibali-6074)	Nos	5.00		
13	Brick works with first class bricks with cement sand (F.M. 1.2) mortar (1:6) in foundation and plinth, filling the joints/interstices fully with mortar, racking out the joints, cleaning and soaking the bricks at least for 24 hours before use and curing at least for 7 days etc. all complete including cost of water, electricity and other charges and accepted by the Engineer-in-charge. (Cement: CEM-II/B-M)	Cum	1.44		
14	Supplying, fitting and fixing of the best quality any sizes uPVC plastic door shutter with frame having specific gravity of 1.35 - 1.45, panel wall thickness 1.7 mm-2.2 mm, shutter/panel thickness 37.5 mm & weighing 17.25 kg/m ² and other physical, chemical, thermal, fire resistivity properties etc. as per BSTI approved manufacturer (3 pcs Pvc door)	Sqm	4.18		
15	Minimum 12 mm thick cement sand (F.M. 1.2) plaster (1:4) with fresh cement to both inner-and outer surface of wall, finishing the corner and edges, including washing of sand, cleaning the surface, curing at least for 7 days, cost of water, electricity, scaffolding and other charges etc. all	Sqm	32.90		



**BCPCL****Bangladesh-China Power Company Ltd.**

A Joint Venture of CMC & NWPGL

Sl. No.	Item Name	Unit	Quantity	Unit Price Including VAT & TAX	Total Price Including VAT & TAX
	complete in all respect as per drawing and accepted by the Engineer-in-charge. (Cement: CEM-II/B-M)Ground floor.				
16	Supply and intallation of door shutter with all accessories (SS Hinge, SS Round lock ect.) by Woody Shutter Elite 81"x33" (RFL Woody Door) Brown Colour	pcs	6		
17	Lacquer Polish (China or equivalent) of Standard design of wooden surface Top coat, Thinner, Clear sealer, Color pigment etc. complete from authorized local agent of the manufacturer in a sealed container, including paint spray machine etc. including surface cleaning from dust, oil or dirt, smoothening, finishing and polishing with sand paper and necessary tools, scaffolding etc. all complete in all floors approved and accepted by the Engineer.	sqm	64.1		
19	Taking out of old wooden chowkat/door or window frame and refitting and refixing after minor repair (excluding the cost of wood and M.S. clamp)	each	12		
20	Supply and Installation of Sliding Thai Glass lock- 200 mm length (Heavy)	each	5		
21	Dismantling of R.C.C. beam, lintel, column, drop wall, sun shade from any height and removal of debris to a safe distance.	cum	1.25		
22	RCC WORKS: 1:1.5:3 (measured on gross concrete section)(f _c = 25MPa, minimum f _{cr} = 33.5 MPa in nominal mix 1 : 1.5 : 3), with Stone Chips(100% Sand of F.M. 2.2)	cum	1.25		
23	Grade 500 (B500DWR: complying BDS ISO 6935-2:2016 / ASTM A615) ribbed or deformed bar produced and marked according toBangladesh standard, with minimum yield strength, f _y (ReH)= 500 MPa and whatever is the yield strength within allowable limit as per BNBC/ ACI 318, the ratio of ultimate tensile strength f _u to actual yield strength f _y , shall be at least 1.25 and minimum elongation after fracture and minimum total elongation at maximum force is 17% and 8% respectively: up to ground floor. (To be used for pile work, earth retaining wall, boundary wall, water reservoir & other structures as per instruction of concerned design DIVISION)	kg	45		
24	FORMWORK (Wooden) for boundary wall, gate, centre post etc. Pedestals, column, wall	sqm	10		
25	Supply and installation of Caster swivel Wheel (3 inch diameter)	pcs	4		
26	Supply and repair of RCC floor leakage by Conbextra gp2 (25 kg bag)	bag	5		
27	Supply and repair of RCC wall by Fosroc Renderoc Plug mortar (15 kg bag)	bag	5		
28	Supply and installation of Standard Plastic/Polyamide Swing Handles	pcs	1		
29	Supply and installation of Complete flush swing handle lock kit (Heavy-Duty Zinc Alloy Metal Full Kit)	pcs	2		
30	Supply and installation of Black polyamide push-button swing handle lock (with a built-in key cylinder)	pcs	1		
31	Supply and installation of matte black zinc alloy flush swing handle lock (commonly matching the classic Southco R4 or Dirak style profile)	pcs	1		



**BCPCL****Bangladesh-China Power Company Ltd.**

A Joint Venture of CMC & NWPGCL

Sl. No.	Item Name	Unit	Quantity	Unit Price Including VAT & TAX	Total Price Including VAT & TAX
32	Supply and replacement of Lock Cylinder (Brass metal)	pcs	12		
33	Supply and replacement of Push Shower-SS (SHARIF)	pcs	6		
34	Supply and replacement of Push Shower-PVC (SHINE)	pcs	24		
35	Supply and replacement of rainwater pipeline (UPVC pipe 4")	pcs	2		
36	Supply, fitting, and replacement of the old pressure valve with a new one, along with auxiliary fittings (1.25" Pressure regulator-4 pcs, gate valve- 1.25 "-4 pcs, Metal PPR Union-1.25"-4 pcs, PPR T-Socket-1.25"-4 pcs, PPR Plain Socket-1.25"-8 pcs, PPR Elbow-1.25"-8 pcs).	lot	1.00		
37	Supply and installation of plumbing materials (PPR Elbow ½"-30 pcs, T-Socket ½"-10 pcs, Plain Socket ½"-15 pcs, Male Socket ½"-4 pcs, Female Socket ½"-4 pcs, Plain T ½" (GI)-2 pcs, GI Nipple ½"-4 pcs, PPR Pipe ½"-60 m) for repairing the water supply line.	lot	1.00		
38	Supply and repair of MS grill painting with Enamel Paint (White, Black, Green)-6 liters, Thinner-2 liters, Paint brush 3"-2pcs, Paint brush 2"-2pcs, Paint brush 1"-2pcs	lot	1.00		
Total Including VAT & TAX					

Total Price (in words)	
Works to be executed in	Payra 1320MW TPPP Site, Dhankhali Union, Kalapara, Patuakhali.

[.....] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever up to the point of delivery of Goods and related services in all respects to the satisfaction of the Procuring Entity.



**BCPCL****Bangladesh-China Power Company Ltd.**

A Joint Venture of CMC & NWPGL

Technical Specification

Sl. No.	Item Name	Bidders Offer
1	Supplying, fitting and fixing of horizontal zebra blind made with polyester fabrics, synthetic net with 3 inch vinyl/upvc coated strips (foreign made) with supply of all materials (foreign made) such as head rail, bottom rail, rod tilt, head cap, bottom cap, gear box, stick, support and cap, cord drum and support, bracket, cord lock, cord equalizer, top holder, ladder, cord, handling cord and aluminium foils etc. all complete and accepted by the Engineer-in-charge.	
2	Supplying, fitting and fixing horizontal venetian blinds of 25 mm width made with aluminium foils/ strips (foreign made) with supply of all materials (foreign made) such as head rail, bottom rail, rod tilt, head cap, bottom cap, gear box, stick, support and cap, cord drum and support, bracket, cord lock, cord equalizer, top holder, ladder, cord, handling cord and aluminium foils etc. all complete and accepted by the Engineer-in-charge.	
3	Interior standard acrylic emulsion paint (plastic or matt finish) of approved best quality and colour delivered from authorized local agent of the manufacturer in a sealed container; applying to interior wall and ceiling with surface preparation including cleaning drying, making free from dirt, grease, wax, removing all chalked and scaled materials, fungus, mending good the surface defects using sand paper and necessary scaffolding; applying necessary interior sealer of specified brand on prepared surface; then applying necessary interior putty of specified brand for levelling, spot filling, crack filling and cutting by sand paper/zero water paper; finally applying 2 coats of interior emulsion paint spreading by brush/roller/spray & necessary scaffolding etc. up to desired finishing, elapsing specified time for drying or recoating; all complete in all floors and accepted by the Engineer-in-charge.	
4	Supply, fabrication and installation of MS door. Door Size 1.8m x 4.7m; MS Box Size 75mm x 50mm x 3mm, horizontally and vertically MS flat bar 25mm x 3mm @ 600mm c/c vertically 18 BWG Ms sheet (Including Standard synthetic enamel Paint)	
5	Renewal of 6 mm glass panes, including supply of glass	
6	Supply, fitting, fixing and punch an 18mm hole in a 5mm customized M.S. plate (150mm x 75mm) at the swing door hinge point.	
7	Supplying, fitting and fixing of 0.6 mm thick best quality solid aluminium metal board false ceiling (drop/ plain) of size 600 mm x 600 mm, powder coated of approved design, framing by aluminium T-bar of natural anodized finish suspended in 600 mm x 600 mm grid from ceiling by 12 SWG double ply wire, fixed to the ceiling by rowel plug, screws, hooks, nails etc., maintaining straight lines and desired finished level at bottom face including vertical wooden strut as required, making holes in slabs or beams by electric drill machine and mending good the damages, if any during execution of the work, including the provisions of lighting arrangement, also including cost of all materials, electricity, accessories, scaffoldings, labour for installation, screws, nails, etc. all complete as per drawing, design and accepted by the Engineer-in-charge. Measurement will be taken as per finished surface area.	
8	Supplying, fitting and fixing country made mirror polished homogeneous floor tiles complying BDS ISO 13006: 2015, water absorption $\leq 0.5\%$, modulus of rupture (MOR) $\geq 27 \text{ N/mm}^2$, irrespective of color &/or design, with 20 mm thick cement sand (F.M. 1.2) mortar (1:4) base and raking out	





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

Sl. No.	Item Name	Bidders Offer
	the joints with white cement including cutting and laying the tiles in proper way and finishing with care etc. all complete and accepted by the Engineer-in-charge. (Cement: CEM-II/B-M) In ground floor. GP (mirror polished) 800 mm x 800 mm floor tiles	
9	Supplying, fitting and fixing country made GP (Gress Porcellanto) - glazed or unglazed homogeneous floor tiles complying BDS ISO 13006: 2015, water absorption $\leq 0.5\%$, modulus of rupture (MOR) ≥ 27 N/mm ² , irrespective of color &/or design, with 20 mm thick cement sand (F.M. 1.2) mortar (1:4) base and raking out the joints with white cement including cutting and laying the tiles in proper way and finishing with care etc. all complete and accepted by the Engineer-in-charge. (Cement: CEM-II B-M). In ground floor GP (homogeneous) 300 mm x 300 mm floor tiles	
10	Supply, fitting and fixing sitkani in window	
11	Supply and installation 3mm thickness 1.2m x 2.4m size Grey coloured ACP Board.	
12	Supplying, fitting & fixing Urinal Flush Valve (Haibali-6074)	
13	Brick works with first class bricks with cement sand (F.M. 1.2) mortar (1:6) in foundation and plinth, filling the joints/interstices fully with mortar, racking out the joints, cleaning and soaking the bricks at least for 24 hours before use and curing at least for 7 days etc. all complete including cost of water, electricity and other charges and accepted by the Engineer-in-charge.(Cement: CEM-II/B-M)	
14	Supplying, fitting and fixing of the best quality any sizes uPVC plastic door shutter with frame having specific gravity of 1.35 - 1.45, panel wall thickness 1.7 mm-2.2 mm, shutter/panel thickness 37.5 mm & weighing 17.25 kg/m ² and other physical, chemical, thermal, fire resistivity properties etc. as per BSTI approved manufacturer (3 pcs Pvc door)	
15	Minimum 12 mm thick cement sand (F.M. 1.2) plaster (1:4) with fresh cement to both inner-and outer surface of wall, finishing the corner and edges, including washing of sand, cleaning the surface, curing at least for 7 days, cost of water, electricity, scaffolding and other charges etc. all complete in all respect as per drawing and accepted by the Engineer-incharge. (Cement: CEM-II/B-M)Ground floor.	
16	Supply and intallation of door shutter with all accessories (SS Hinge, SS Round lock ect.) by Woody Shutter Elite 81"x33" (RFL Woody Door) Brown Colour	
17	Lacquer Polish (China or equivalent) of Standard design of wooden surface Top coat, Thinner, Clear sealer, Color pigment etc. complete from authorized local agent of the manufacturer in a sealed container, including paint spray machine etc. including surface cleaning from dust, oil or dirt, smoothening, finishing and polishing with sand paper and necessary tools, scaffolding etc. all complete in all floors approved and accepted by the Engineer.	
19	Taking out of old wooden chowkat/door or window frame and refitting and refixing after minor repair (excluding the cost of wood and M.S. clamp)	
20	Supply and Installation of Sliding Thai Glass lock- 200 mm length	
21	Dismantling of R.C.C. beam, lintel, column, drop wall, sun shade from any height and removal of debris to a safe distance.	
22	RCC WORKS: 1:1.5:3 (measured on gross concrete section)(f _c = 25MPa, minimum f _{cr} = 33.5 MPa in nominal mix 1 : 1.5 : 3), with Stone Chips(100% Sand of F.M. 2.2)	



**BCPCL****Bangladesh-China Power Company Ltd.**

A Joint Venture of CMC & NWPGL

Sl. No.	Item Name	Bidders Offer
23	Grade 500 (B500DWR: complying BDS ISO 6935-2:2016 / ASTM A615) ribbed or deformed bar produced and marked according to Bangladesh standard, with minimum yield strength, f_y (ReH)= 500 MPa and whatever is the yield strength within allowable limit as per BNBC/ ACI 318, the ratio of ultimate tensile strength f_u to actual yield strength f_y , shall be at least 1.25 and minimum elongation after fracture and minimum total elongation at maximum force is 17% and 8% respectively: up to ground floor. (To be used for pile work, earth retaining wall, boundary wall, water reservoir & other structures as per instruction of concerned design DIVISION)	
24	FORMWORK (Wooden) for boundary wall, gate, centre post etc. Pedestals, column, wall	
25	Supply and installation of Caster swivel Wheel (3 inch diameter)	
26	Supply and repair of RCC floor leakage by Conbextra gp2 (25 kg bag)	
27	Supply and repair of RCC wall by Fosroc Renderoc Plug mortar (15 kg bag)	
28	Supply and installation of Standard Plastic/Polyamide Swing Handles	
29	Supply and installation of Complete flush swing handle lock kit (Heavy-Duty Zinc Alloy Metal Full Kit)	
30	Supply and installation of Black polyamide push-button swing handle lock (with a built-in key cylinder)	
31	Supply and installation of matte black zinc alloy flush swing handle lock (commonly matching the classic Southco R4 or Dirak style profile)	
32	Supply and replacement of Lock Cylinder (Brass metal)	
33	Supply and replacement of Push Shower-SS (SHARIF)	
34	Supply and replacement of Push Shower-PVC (SHINE)	
35	Supply and replacement of rainwater pipeline (UPVC pipe 4")	
36	Supply, fitting, and replacement of the old pressure valve with a new one, along with auxiliary fittings (1.25" Pressure regulator-4 pcs, gate valve-1.25 "-4 pcs, Metal PPR Union-1.25"-4 pcs, PPR T-Socket-1.25"-4 pcs, PPR Plain Socket-1.25"-8 pcs, PPR Elbow-1.25"-8 pcs).	
37	Supply and installation of plumbing materials (PPR Elbow ½"-30 pcs, T-Socket ½"-10 pcs, Plain Socket ½"-15 pcs, Male Socket ½"-4 pcs, Female Socket ½"-4 pcs, Plain T ½" (GI)-2 pcs, GI Nipple ½"-4 pcs, PPR Pipe ½"-60 m) for repairing the water supply line.	
38	Supply and Repairing of MS grill painting with Enamel Paint (White, Black, Green)-6 liters, Thinner-2 liters, Paint brush 3"-2pcs, Paint brush 2"-2pcs, Paint brush 1"-2pcs	





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

Invitation for signing Contract

Issued Ref.:

Insert Date:

[name of Contractor _____]
[address _____]

20. This is to notify you that your **Quotation** dated [dd/mm/yy] for the execution of the Works and physical services named **Procurement of Civil and Plumbing Maintenance Items for Payra 1320MW TPP**
21. for the Contract Price of Tk [state amount in figures and in words] as corrected, has been approved by the competent authority.

You are thus requested to attend the office of the undersigned to sign the Contract within **02 (two) days** of issuing this Letter of Invitation; but in no case later than [specify dd/mm/yy].

You may proceed with the execution of the Works only upon signing the Contract. You may also please note that this invitation shall constitute the formation of this Contract which shall become binding upon you.

We attach the draft Contract and all other documents for your perusal.

Attachment: Draft Contract

Signature of the Procuring Entity with name and designation

Date: dd/mm/yy





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

Contract Agreement

THIS AGREEMENT made on this [insert day] day of [insert month and year] between [name and address of Procuring Entity] (hereinafter called "the Procuring Entity") of the one part and [name and address of Contractor] (hereinafter called "the Contractor") of the other part:

WHEREAS the Procuring Entity invited Quotation for certain Works and physical services named [Name of Works] and has accepted the Quotation submitted by the Quotationer for the execution of those works in the sum of Taka [insert Contract price in figures and in words] (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSED AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the General Conditions of Contract hereinafter referred to.
2. The documents forming the Contract shall be interpreted in the following order of priority:
 - (a) the signed Contract Agreement
 - (b) the Letter of Invitation
 - (c) the Conditions of Contract
 - (d) the Specifications
 - (e) the Design and Drawings
 - (f) the priced Bill of Quantities
 - (g) any other document listed anywhere in the Contract.
3. In consideration of the payments to be made by the Procuring Entity to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Procuring Entity to execute and complete the works and to remedy any defects therein in conformity in all respects with the provisions of the Contract.
4. The Procuring Entity hereby covenants to pay the Contractor in consideration of the execution and completion of the works and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of Bangladesh on the day, month and year first written above.

For the Purchaser

For the Contractor

Signature

Name

Designation

In the presence of

Name





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

**Conditions of Contract
for
Procurement of Civil Maintenance Works at the power block and
residential area buildings of Payra 1320 MW TPP.**

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within 14 days of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT [insert figure] [in words].
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGL

14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.

