



BCPCL

**Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGL**

**REQUEST FOR QUOTATION
FOR**

**Procurement of Tools & Consumables for Unit 1 Class C (October 15,26) &
General I&C Maintenance of Payra 1320MW TPP (PR000452)**

**BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh**

**Issued Ref.: BCPCL/Proc/RFQ_I&C_U1_C/2026-27/0913.03
Issued On: September 13,2026**

Submission Deadline: September 20,2026 on or before 12:00PM.





BCPCL

Bangladesh-China Power Company Ltd.

A Joint Venture of CMC & NWPGCL

REQUEST FOR QUOTATION

for


Procurement of Tools & Consumables for Unit 1 Class C (October 15,26) & General I&C Maintenance of Payra 1320MW TPP (PR000452)

Issued Ref.: BCPCL/Proc/RFQ_I&C_U1_C/2026-27/0913.03

Issued On: September 13,2026

To

1. Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail should be submitted on or before **September 20,2026, 12:00 PM**. The envelope containing the Quotation must be clearly marked '**Procurement of Tools & Consumables for Unit 1 Class C (October 15,26) & General I&C Maintenance of Payra 1320MW TPP (PR000452)**' and "DO NOT OPEN before **September 20,2026, 12:30 PM**". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.



11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related *to updated valid Trade License, Tax Identification Number (TIN) and VAT Registration Number* without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. **Quotationer shall specify the brand name of the items, where applicable and provide a clear description of the product being offered; otherwise, the tender will be considered technically non-responsive.**
17. **Quotationers are instructed to submit their price schedule and technical specifications in their company/proprietary letter head pad.**
18. The supply of Goods and related services shall be completed within **20 (twenty) days** from the date of issuing the Purchase Order.
19. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **7 days** of receipt of approval from the Approving Authority.
20. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Rashed
13/09/2026

Rashed Morshed

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,

Dhaka-1215, Bangladesh.

e-mail: rashedmorshed@bcpcl.org.bd & fahim2252@bcpcl.org.bd

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Proc/Rfq_I&C_U1_C/2026-27/0913.03
Issued On: September 13, 2026

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named '**Procurement of Tools & Consumables for Unit 1 Class C (October 15, 26) & General I&C Maintenance of Payra 1320MW TPP (PR000452)**'.

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **September 13, 2026**.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal
Date:



Price Schedule

SL	Items Description	Unit	Qty	Unit Price Including VAT & IT	Total Price Including VAT & IT
1	Single Core Wire-1.5 1.5mm ² Material- Copper Core-Single Core Cable Type- BYA Voltage-450/750V Size	METER	300		
2	Transparent Tape Width- 4.2mm	PCS	20		
3	PVC Tape (3M Insulation Tape)-R Color-Red	PCS	70		
4	PVC Tape (3M Insulation Tape)-G Color-Green	PCS	70		
5	PVC Tape (3M Insulation Tape)-K Color-Black	PCS	80		
6	PVC Tape (3M Insulation Tape)-Y Color-Yellow	PCS	70		
7	PVC Tape (3M Insulation Tape)-W Color-White	PCS	30		
8	PTFE Tape (Thread Tape) Color-White Width×Thickness-20× 0.1mm	PCS	30		
9	Nylon Cable Tie-3_100 W×L - 3×100 mm	SET	1,000		
10	Nylon Cable Tie-4_200 W×L - 4×200 mm	SET	1,000		
11	Nylon Cable Tie-4_250 W×L - 4×250 mm	SET	500		
12	Nylon Cable Tie-5_250 W×L - 5×250 mm	SET	1,000		
13	Copper Washerφ27×10×2 mm O.D.× I.D.× Thickness - φ27×10×2 mm Material- Copper	PCS	200		
14	Copper Washer-φ22×10×2 mm O.D.× I.D.× Thickness - φ22×10×2 mm Material- Copper	PCS	200		
15	Purple copper washer,φ18×8×3 mm O.D.× I.D.× Thickness – φ18×8×3 mm Material- Copper	PCS	200		
16	Copper Washer-φ16×8×2 mm O.D.× I.D.× Thickness - φ16×8×2 mm Material- Copper	PCS	100		
17	Copper Washer-φ12×6×2 mm O.D.× I.D.× Thickness – φ12×6×2 mm Material- Copper	PCS	100		
18	Polytetrafluoroethylene Washer-18_10_2	PCS	300		
19	Polytetrafluoroethylene Washer-16_8_2	PCS	200		
20	Polytetrafluoroethylene Washer-12_6_2	PCS	200		
21	Polythene Roll Width- 2m Thickness-0.3mm	KG	80		
22	Loosening and Derusting Agent Model-WD-40; 277ml	CAN	100		
23	Precision Electronic Cleaner CRC PR02016C	BOTTLE	100		
24	Paint Brush 1 inch	PCS	80		
25	Paint Brush 2 inch	PCS	70		
26	Paint Brush 3 inch	PCS	80		




Price Schedule					
SL	Items Description	Unit	Qty	Unit Price Including VAT & IT	Total Price Including VAT & IT
27	Broken Cloth / Cotton Yarn	KG	200		
28	White Cloth Tape	ROLL	100		
29	Notebook Material: Leather	PCS	18		
30	Short Welding Gloves Model: ILPG-10 Manufacturer: Honeywell Material: Leather	PCS	60		
31	Gasket Size: 24×18×3mm Material: Graphite	PCS	100		
32	Gasket Size: 24×18×3mm Material: Nylon	PCS	100		
33	7 Pc. T-Series VDE Insulated Screwdriver Set Model: ST09303 VDE Insulated Screwdrivers Phillips #0 x 60 mm, #1 x 80 mm, #2 x 100 mm VDE Insulated Screwdrivers Slotted 2.5 x 75 mm, 4. x 100 mm, 5.5 x 125 mm, 6.5 x 150 mm	SET	30		
34	Dipping Handle Adjustable Wrench 6" Model: ST47222SC	PCS	16		
35	Dipping Handle Adjustable Wrench 8" Model: ST47223SC	PCS	26		
36	Dipping Handle Adjustable Wrench 10" Model: ST47224SC	PCS	26		
37	Dipping Handle Adjustable Wrench 12" Model: ST47225SC	PCS	16		
38	Hexagon socket bolts with flat washers, spring washers and nuts M10*45 SS 316, A4-70 (316)	SET	300		
39	Vulcanized Fiber Pressure Gasket (Washer) O.D.× I.D. × Thickness - 18×6×3mm Material - Red Paper	PCS	1,000		
40	Polytetrafluoroethylene washer O.D.× I.D. × Thickness - 18×6×3mm Material - PTFE	PCS	1,000		
41	Gauge pipe Material: 316L stainless steel, specification: φ14*2mm, length: 6m	PCS	20		
42	Gauge pipe Material: 316L stainless steel, specification: φ12*2mm, length: 6m	PCS	20		
43	Flame-retardant control cable ZC-KVVP- 0.45/0.75KV-4×1.5mm (R)	METER	500		
44	Flame-retardant control cable ZC-KVVP- 0.45/0.75KV-7×1.5mm (R)	METER	500		
45	Flame-retardant cross-linked power cable ZC-YJV- 0.6/1KV-4×2.5mm	METER	500		
46	Fuse Tube 1A	PCS	100		
47	glass tube fuse Specification: 5A/125VP 229	PCS	100		
48	Batteries-R6AA,Alkaline 5 (R6AA) Size-AA Nominal voltage-1.5V Type-Alkaline 5	PCS	20		
49	Batteries-6F22,9V (6F22-1604G-9V) Nominal voltage-9V Type-Alkaline Model-6F22	PCS	20		



Price Schedule

SL	Items Description	Unit	Qty	Unit Price Including VAT & IT	Total Price Including VAT & IT
50	Permanent Marker-K Color- Black	PCS	20		
51	Permanent Marker-W Color- White	PCS	20		
52	Permanent Marker-R Color- Red	PCS	20		
53	Labeler Ribbon-12 Size- 12mm	TRAY	10		
54	Labeler Ribbon-18 Size- 18mm	TRAY	10		
55	Labeler Ribbon-24 Size- 24mm	TRAY	10		
56	Yellow Wax Tube Insulation Sleeve (Ampere Tube) Diameter-4mm	METER	20		
57	Yellow Wax Tube Insulation Sleeve (Ampere Tube) Diameter-6mm	METER	20		
58	Silicon Refuge Sealant Type- HZ-1213B	PCS	10		
59	Belt punching Size: 14mm	PCS	3		
60	Alloy steel flat chisel Size: 250mm	PCS	2		
61	Electric screwdriver set Model GDR18V-215 Matching charger 2 x 5.0AH batteries Bosch tool kit	PCS	2		
62	Angle grinder Specification: GWS 800 Standard Edition (with Handle)	PCS	2		
63	Optical Fiber Cable GYTA53-4B1.3	METER	500		
64	Industrial power cable reel, 250V power supply panel (including 50 meters of power cord)	PCS	3		
65	Power supply cord Size: 4 * 4 rubber flexible cable	METER	100		
66	Power Cable 3×1.5mm²ZR-YJV	METER	500		
67	High-temperature cable Type: KFFRP7*1.5	METER	500		
68	Saw Bow 12 inch	PCS	2		
69	CUP Thermal conductive silicone grease Model : K-5211 Manufacture : KAFUTER	PCS	5		
70	Fireproof Mud, Material: Gelatinous Mud Heat Resistance: 90°C, no flow, no foam	PCS	20		
71	Fiber Optic jumper (Patch Chord) SC-ST single mode, 2m	PCS	50		
72	Fiber Optic jumper (Patch Chord) SC-FC single mode, 2m	PCS	50		
73	Fiber Optic jumper (Patch Chord) ST-ST single mode, 2m	PCS	50		
74	Fiber Optic jumper (Patch Chord) SC-SC single mode, 2m	PCS	50		
75	Fiber Optic jumper (Patch Chord) Dual LC single mode, 2m	PCS	50		



Price Schedule					
SL	Items Description	Unit	Qty	Unit Price Including VAT & IT	Total Price Including VAT & IT
76	Fiber Optic jumper (Patch Chord) FC-FC single mode, 2m	PCS	50		
77	Digital Multimeter Fluke 17B MAX	PCS	5		
78	Allen Key / Hex Key / Hex Wrench 1.5-10mm Metric(Male)	SET	5		
79	Allen Key / Hex Key / Hex Wrench 1/16-5/16 inch-based (English)	SET	5		
80	Metric wrench T10-T50	PCS	2		
81	Diagonal pliers 6 inch	PCS	18		
82	Long-nose pliers Size: 6 inch	PCS	18		
83	Anti-cutter / Utility Knife Model: 1101-2000(DFC-L560W) Size: 18mm	PCS	5		
84	Electrician Scissors / Electronic Scissors W822B size: 8 inch Material: Stainless Steel	PCS	5		
85	Toolkit Model: ST95181 Manufacture: SATA	PCS	5		
86	Saw Bow Auxiliary Material Saw blade (compatible with saw bow)	PCS	50		
87	Polishing Machine Auxiliary Material	PCS	50		
88	Polishing Machine Auxiliary Material	PCS	50		
89	Gauge pipe Material: 316L stainless steel, specification: $\phi 10 \times 2$ mm, length: 6m	PCS	10		
90	Slotted screwdriver Head: 6mm Length: 20cm	PCS	10		
91	Phillips Screwdriver The head is 6mm and the length is 20cm	PCS	10		
92	Slotted screwdriver Head: 3mm Length: 15cm	PCS	10		
93	Phillips Screwdriver The head is 3mm and the length is 15cm	PCS	10		
94	Wire strippers 6 inch	PCS	10		
95	Wire cutters 8 inch	PCS	10		
96	Nylon Cable Tie-5_300 W×L - 5×300 mm	SET	500		
97	Paint Marker-R Color- Red	PCS	20		
98	Paint Marker-B Color-Blue	PCS	20		
99	Paint Marker-K Color-Black	PCS	20		



Price Schedule

SL	Items Description	Unit	Qty	Unit Price Including VAT & IT	Total Price Including VAT & IT
100	Air Supply Pipe-16_12 Material- Plastic (PU) O.D.×I.D. - φ16×12 mm	METER	300		
101	Air Supply Pipe-14_10 Material- Plastic (PU) O.D.×I.D. - φ14×10 mm	METER	300		
102	Air Supply Pipe-10_6.5 Material- Plastic (PU) O.D.×I.D. - φ10×6.5 mm	METER	500		
103	Air Supply Pipe-8_5 Material- Plastic (PU) O.D.×I.D. - φ8×5 mm	METER	600		
104	Air Supply Pipe-6_4 Material- Plastic (PU) O.D.×I.D. - φ6×4 mm	METER	400		
105	Air Supply Pipe-12_8 Material- Plastic (PU) O.D.×I.D. - φ12×8 mm	METER	200		
Total Price Including VAT & IT					

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW Thermal Power Plant Site, Dhankhali, Kalapara, Patuakhali.
Delivery Offered	20 (twenty) days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:


- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 7 & 8 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever




Technical Specification Requirements		
SL	Items Description requirement from BCPCL	Technical Specification offered by the Quotationer (Mention brand where necessary)
1	Single Core Wire-1.5 1.5mm ² Material-Copper Core-Single Core Cable Type- BYA Voltage-450/750V Size	
2	Transparent Tape Width- 4.2mm	
3	PVC Tape (3M Insulation Tape)-R Color-Red	
4	PVC Tape (3M Insulation Tape)-G Color-Green	
5	PVC Tape (3M Insulation Tape)-K Color-Black	
6	PVC Tape (3M Insulation Tape)-Y Color-Yellow	
7	PVC Tape (3M Insulation Tape)-W Color-White	
8	PTFE Tape (Thread Tape) Color-White Width×Thickness-20× 0.1mm	
9	Nylon Cable Tie-3_100 W×L - 3×100 mm	
10	Nylon Cable Tie-4_200 W×L - 4×200 mm	
11	Nylon Cable Tie-4_250 W×L - 4×250 mm	
12	Nylon Cable Tie-5_250 W×L - 5×250 mm	
13	Copper Washerφ27×10×2 mm O.D.× I.D.× Thickness - φ27×10×2 mm Material- Copper	
14	Copper Washer-φ22×10×2 mm O.D.× I.D.× Thickness - φ22×10×2 mm Material- Copper	
15	Purple copper washer,φ18×8×3 mm O.D.× I.D.× Thickness – φ18×8×3 mm Material- Copper	
16	Copper Washer-φ16×8×2 mm O.D.× I.D.× Thickness - φ16×8×2 mm Material- Copper	
17	Copper Washer-φ12×6×2 mm O.D.× I.D.× Thickness – φ12×6×2 mm Material- Copper	
18	Polytetrafluoroethylene Washer-18_10_2	
19	Polytetrafluoroethylene Washer-16_8_2	
20	Polytetrafluoroethylene Washer-12_6_2	
21	Polythene Roll Width- 2m Thickness-0.3mm	
22	Loosening and Derusting Agent Model-WD-40; 277ml	



Technical Specification Requirements		
SL	Items Description requirement from BCPCL	Technical Specification offered by the Quotationer (Mention brand where necessary)
23	Precision Electronic Cleaner CRC PR02016C	
24	Paint Brush 1 inch	
25	Paint Brush 2 inch	
26	Paint Brush 3 inch	
27	Broken Cloth / Cotton Yarn	
28	White Cloth Tape	
29	Notebook Material: Leather	
30	Short Welding Gloves Model: ILPG-10 Manufacturer: Honeywell Material: Leather	
31	Gasket Size: 24×18×3mm Material: Graphite	
32	Gasket Size: 24×18×3mm Material: Nylon	
33	7 Pc. T-Series VDE Insulated Screwdriver Set Model: ST09303 VDE Insulated Screwdrivers Phillips #0 x 60 mm, #1 x 80 mm, #2 x 100 mm VDE Insulated Screwdrivers Slotted 2.5 x 75 mm, 4. x 100 mm, 5.5 x 125 mm, 6.5 x 150 mm	
34	Dipping Handle Adjustable Wrench 6" Model: ST47222SC	
35	Dipping Handle Adjustable Wrench 8" Model: ST47223SC	
36	Dipping Handle Adjustable Wrench 10" Model: ST47224SC	
37	Dipping Handle Adjustable Wrench 12" Model: ST47225SC	
38	Hexagon socket bolts with flat washers, spring washers and nuts M10*45 SS 316, A4-70 (316)	
39	Vulcanized Fiber Pressure Gasket (Washer) O.D.× I.D. × Thickness - 18×6×3mm Material - Red Paper	
40	Polytetrafluoroethylene washer O.D.× I.D. × Thickness - 18×6×3mm Material - PTFE	
41	Gauge pipe Material: 316L stainless steel, specification: φ14*2mm, length: 6m	




Technical Specification Requirements		
SL	Items Description requirement from BCPCL	Technical Specification offered by the Quotationer (Mention brand where necessary)
42	Gauge pipe Material: 316L stainless steel, specification: $\phi 12 \times 2$ mm, length: 6m	
43	Flame-retardant control cable ZC-KVVP-0.45/0.75KV-4 $\times$ 1.5mm (R)	
44	Flame-retardant control cable ZC-KVVP-0.45/0.75KV-7 $\times$ 1.5mm (R)	
45	Flame-retardant cross-linked power cable ZC-YJV-0.6/1KV-4 $\times$ 2.5mm	
46	Fuse Tube 1A	
47	glass tube fuse Specification: 5A/125VP 229	
48	Batteries-R6AA,Alkaline 5 (R6AA) Size-AA Nominal voltage-1.5V Type-Alkaline 5	
49	Batteries-6F22,9V (6F22-1604G-9V) Nominal voltage-9V Type-Alkaline Model-6F22	
50	Permanent Marker-K Color- Black	
51	Permanent Marker-W Color- White	
52	Permanent Marker-R Color- Red	
53	Labeler Ribbon-12 Size- 12mm	
54	Labeler Ribbon-18 Size- 18mm	
55	Labeler Ribbon-24 Size- 24mm	
56	Yellow Wax Tube Insulation Sleeve (Ampere Tube) Diameter-4mm	
57	Yellow Wax Tube Insulation Sleeve (Ampere Tube) Diameter-6mm	
58	Silicon Refuge Sealant Type- HZ-1213B	
59	Belt punching Size:14mm	
60	Alloy steel flat chisel Size: 250mm	
61	Electric screwdriver set Model GDR18V-215 Matching charger 2 x 5.0AH batteries Bosch tool kit	
62	Angle grinder Specification: GWS 800 Standard Edition (with Handle)	
63	Optical Fiber Cable GYTA53-4B1.3	



Technical Specification Requirements		
SL	Items Description requirement from BCPCL	Technical Specification offered by the Quotationer (Mention brand where necessary)
64	Industrial power cable reel, 250V power supply panel (including 50 meters of power cord)	
65	Power supply cord Size: 4 * 4 rubber flexible cable	
66	Power Cable 3×1.5mm ² ZR-YJV	
67	High-temperature cable Type: KFFRP7*1.5	
68	Saw Bow 12 inch	
69	CUP Thermal conductive silicone grease Model : K-5211 Manufacture : KAFUTER	
70	Fireproof Mud, Material: Gelatinous Mud Heat Resistance: 90°C, no flow, no foam	
71	Fiber Optic jumper (Patch Chord) SC-ST single mode, 2m	
72	Fiber Optic jumper (Patch Chord) SC-FC single mode, 2m	
73	Fiber Optic jumper (Patch Chord) ST-ST single mode, 2m	
74	Fiber Optic jumper (Patch Chord) SC-SC single mode, 2m	
75	Fiber Optic jumper (Patch Chord) Dual LC single mode, 2m	
76	Fiber Optic jumper (Patch Chord) FC-FC single mode, 2m	
77	Digital Multimeter Fluke 17B MAX	
78	Allen Key / Hex Key / Hex Wrench 1.5-10mm Metric(Male)	
79	Allen Key / Hex Key / Hex Wrench 1/16-5/16 inch-based (English)	
80	Metric wrench T10-T50	
81	Diagonal pliers 6 inch	
82	Long-nose pliers Size: 6 inch	
83	Anti-cutter / Utility Knife Model: 1101-2000(DFC-L560W) Size: 18mm	



Technical Specification Requirements		
SL	Items Description requirement from BCPCL	Technical Specification offered by the Quotationer (Mention brand where necessary)
84	Electrician Scissors / Electronic Scissors W822B size: 8 inch Material: Stainless Steel	
85	Toolkit Model: ST95181 Manufacture: SATA	
86	Saw Bow Auxiliary Material Saw blade (compatible with saw bow)	
87	Polishing Machine Auxiliary Material	
88	Polishing Machine Auxiliary Material	
89	Gauge pipe Material: 316L stainless steel, specification: $\phi 10 \times 2$ mm, length: 6m	
90	Slotted screwdriver Head: 6mm Length: 20cm	
91	Phillips Screwdriver The head is 6mm and the length is 20cm	
92	Slotted screwdriver Head: 3mm Length: 15cm	
93	Phillips Screwdriver The head is 3mm and the length is 15cm	
94	Wire strippers 6 inch	
95	Wire cutters 8 inch	
96	Nylon Cable Tie-5_300 W×L - 5×300 mm	
97	Paint Marker-R Color- Red	
98	Paint Marker-B Color-Blue	
99	Paint Marker-K Color-Black	
100	Air Supply Pipe-16_12 Material- Plastic (PU) O.D.×I.D. - $\phi 16 \times 12$ mm	
101	Air Supply Pipe-14_10 Material- Plastic (PU) O.D.×I.D. - $\phi 14 \times 10$ mm	



Technical Specification Requirements		
SL	Items Description requirement from BCPCL	Technical Specification offered by the Quotationer (Mention brand where necessary)
102	Air Supply Pipe-10_6.5 Material- Plastic (PU) O.D.×I.D. - $\phi 10 \times 6.5$ mm	
103	Air Supply Pipe-8_5 Material- Plastic (PU) O.D.×I.D. - $\phi 8 \times 5$ mm	
104	Air Supply Pipe-6_4 Material- Plastic (PU) O.D.×I.D. - $\phi 6 \times 4$ mm	
105	Air Supply Pipe-12_8 Material- Plastic (PU) O.D.×I.D. - $\phi 12 \times 8$ mm	



**Purchase Order
FOR
'Procurement of Tools & Consumables for Unit 1 Class C (October 15,26) & General I&C
Maintenance of Payra 1320MW TPP (PR000452)'**

Purchase Order No. :

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,

(Rashed Morshed)

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
Level#5, UTC Building, 8 Panthapath, Kawran Bazar
Dhaka-1215, Bangladesh



Terms and Conditions
for
‘Procurement of Tools & Consumables for Unit 1 Class C (October 15,26) & General I&C Maintenance of Payra 1320MW TPP (PR000452)’

Issued Ref.: BCPCL/Proc/RFQ_I&C_U1_C/2026-27/0913.03

Issued On: September 13,2026

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **20 days** of issuing the Purchase Order in conformity with the Terms and Conditions. **Liquidated Damage for delaying delivery will be applicable at the rate 0.1% of the contract price per day for a maximum of 10%.**
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT [insert figure] [in words].
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.



16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
- fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - fails to perform any other obligation(s) under the Contract.
18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.

