



BCPCL
Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGL

**REQUEST FOR QUOTATION
FOR**

**Procurement of PPE for Unit 2 Class C Maintenance of Payra 1320MW TPP
(PR000506)**

**BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh**

Issued Ref.: BCPCL/Proc/RFQ/2026-27/0825.04

Issued On: August 25, 2026

Submission Deadline: September 01, 2026 on or before 12:00PM.





BCPCL
Bangladesh-China Power Company Ltd.
A Joint Venture of CMC & NWPGL

REQUEST FOR QUOTATION

for

**Procurement of PPE for Unit 2 Class C Maintenance of Payra 1320MW TPP
(PR000506)**

Issued Ref.: BCPCL/Proc/Rfq/2026-27/0825.04


Issued On: August 25, 2026

To

1. Bangladesh-China Power Company Limited has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail should be submitted on or before **September 01, 2026, 12:00 PM**. The envelope containing the Quotation must be clearly marked '**Procurement of PPE for Unit 2 Class C Maintenance of Payra 1320MW TPP (PR000506)**' and '**DO NOT OPEN before September 01, 2026, 12:30 PM**'. Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.
10. No public opening of Quotations received by the closing date shall be held.



11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit certified photocopies of latest documents related **to updated valid Trade License, Tax Identification Number (TIN) and VAT Registration Number** without which the Quotation may be considered non-responsive.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. **Quotationer shall specify the brand name of the items, where applicable and provide a clear description of the product being offered; otherwise, the tender will be considered technically non-responsive.**
17. **Quotationers are instructed to submit their price schedule and technical specifications in their company/proprietary letter head pad.**
18. The supply of Goods and related services shall be completed within **20 (twenty) days** from the date of issuing the Purchase Order.
19. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **7 days** of receipt of approval from the Approving Authority.
20. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.


25/08/2021

Rashed Morshed

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

e-mail: rashedmorshed@bcpcl.org.bd & fahim2252@bcpcl.org.bd

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Proc/Rfq/2026-27/0825.04

Issued On: August 25, 2026

Superintending Engineer (Procurement)

Bangladesh-China Power Company Limited

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named '**Procurement of PPE for Unit 2 Class C Maintenance of Payra 1320MW TPP (PR000506)**'.

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17 (b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **August 25, 2026**.

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal
Date:



Price Schedule

Sl. No.	Item Description	Model / Brand/ Country of Origin	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7	8
1	Goggle Model: Dräger X-pect 8120 Brand: Dräger Origin: Germany	Model: Dräger X-pect 8120 Brand: Dräger Origin: Germany	Lens material: polycarbonate Frame material: Nylon Compatible with prescription glasses: Yes Lens color: Clear 99.9% UV protection. Anti-fog coating. Adjustable in length: Yes Adjustable angle: yes Weight:43 gm Standard: EN 166:2001 and is CE compliant	pc	100		
2	Short leather glove	Model: RSG-110 Brand: Reliable Safety Origin: China	Natural Cow Grain Drivers Gloves Inside Fully Lined Standard: EN 388	pair	1200		
3	Led Torch Light (Small)	Model: GFL4684Z Brand: GEEPAS Origin: China	6063 aircraft-grade aluminum alloy body 3.7V 18650, 3000mAh High capacity lithium battery 10W high power LED, and an output of 1000 lumens 1500 meters real range distance It has high, medium, low, flash, and SOS switch modes 6 hours of continuous working under the low function Universal USB Type-C charging port	pc	25		
4	Test pen	Brand: Total Origin: China	Test Voltage: AC 100-500V Slotted size: 04 x 190mm Packed by plastic hanger	pc	30		
5	Acid-alkali resistant glove	Model:2095020 Brand: Honeywell Origin: EU	Material: Neoprene Thicknes:0.72 mm Dexterity:5 Length:33cm Product Use: Protection against a wide range of chemical products (detergents, some solvents, acids and bases). Standard: EN 420-2003 EEC Basic standard EN 388-2003 Mechanical risks EN 374-2003 Chemical risks	pair	25		



Price Schedule

Sl. No.	Item Description	Model / Brand/ Country of Origin	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7	8
6	High temperature resistant glove	Model: Terrymix Brand: Honeywell Origin: China	Cotton/polyester blend terry knitted glove Elasticated and knitted wrist, 60mm Line: Heat Range: Thermal Protection Length: 25 cm Dexterity: Class 5 Standard: EN388, EN407	pair	30		
7	Oil-resistant dipped rubber gloves	Model: RSG-P-350 Brand: Reliable Safety Origin: China	Palm Material: Nitrile. Liner Type: Green Nylon Seamless Liner. Coating Color: Black. Liner Color: White Grip Pattern: Nitrile microfinish coating provides exceptional grip on objects in oily applications. Seam Style: Seamless. Cuff Style: Knit. Puncture Resistance: EN388.	pair	30		
8	Wearable headlamp	Origin: China	Light Source: 1 × T6 White LED + 1 × XPE Green LED Battery: 2 × 18650 Rechargeable Li-ion Batteries (2000 mAh) Lighting Modes: 3 Modes Zoom Function: Adjustable Zoom Focus Headband: Adjustable Elastic Headband Housing Material: Aluminum Alloy & ABS Color: Black	pc	30		
9	Safety warning tape	Origin: China	Helps prevent injury and accidents by marking construction area, obstacles and hazard This barricade tape with CAUTION legend High strength non-toxic non-flammable UV resistant ink lead free remains flexible in cold weather	roll	100		



Price Schedule

Sl. No.	Item Description	Model / Brand/ Country of Origin	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7	8
10	Disposable face mask	Brand: Hello 7 Origin: BD	Disposable 3ply Surgical face mask for Medical use. First layer PP 22gsm, Second layer Meltblown 25gsm with 90-99% BFE, Third layer PP 22gsm, Automatic heat welded ear loop elastic and with standard nose wire. 3 Ply protection Nose Bar	pc	4000		
11	Anti-dust face mask	Model: H910 Plus Brand: Honeywell Origin: India	Prevent non-oil particles and the filtering efficiency exceeds 95%; Honeywell's professional Anti-counterfeiting filter material to guarantee good quality; The built-in nose clip resists bending, is apt to shape and have a better fitness and safety without metal exposure; The nose clip is made of high-strength plastic composite metal, and its bending resistance capacity is enhanced significantly compared with the metal nose clip; The advanced sealing material is used for the nose pad, characterized by high fitness, softness and comfort; it can relieve the pressure on the nose bridge and make you feel more comfortable; The elastic headband can help to relieve the pressure from the head; and it is suitable for long hours of use; The big size offers much breathing space inside, more comfort.	pc	2500		
12	Coverall maintenance suit	Brand: Reliable Safety Origin: China	Fabric: NOMEX® III A, 4.5 oz. Fabric Composition: 93% NOMEX®, 5% KEVLAR®, 2% ANTISTATIC. Fabric Weight: 150 GSM (ISO 11612). Available Colors: Royal Blue, Orange, Navy Blue, Red, Grey. Arc Rating (ATPV): 4.9 cal/cm². Standard: EN ISO 11612:2008 A1, B1, C1	Set	60		



Price Schedule

Sl. No.	Item Description	Model / Brand/ Country of Origin	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7	8
13	Scaffolding Safety signs	Model: LT02 Brand: Lockey Origin: China	Made from PVC material. Can be written by erasable pen. Use with padlock to remind that the device has been lockout and can not be operated .It can only be opened by the one who lock it. On tag, you can see “danger /Do not operate/Caution security warning language and also “name /department /date”etc blank for you to fill in. Language both in English and Chinese. Size: 75mm(W)×146mm(H)×0.5mm(T) Other wording and design can be customized.	pc	300		
14	Scaffolding cards	Model: SLT01 Brand: Lockey Origin: China	Made from ABS. Provides system, procedural and legal compliance for scaffolds on work sites. Provides a clear inspection trail giving integrity and control of work carried out. The tags are available in three durable write-on materials, providing highly visual and eye-catching information. Each with a scaffold tag holder and a tag. The tags can be customized. Size:310mm×92mm, Diameter: 60mm, 1 tag with 1 holder.	pc	150		
15	Anticut Hand Gloves	Model: WorkEasy 13G GY PU 1Brand: Honeywell Origin: China	Cut level / color coding: CUT 1 Characteristics: Lightweight polyester knit Coating: Medium grey polyurethane coating Performance: EN388:2016 3121X Abrasion resistance: 2 (Abrasion resistance ASTM D3389) Puncture resistance: Level 2)	pair	2500		



Price Schedule

Sl. No.	Item Description	Model / Brand/ Country of Origin	Specification	Unit	Quantity	Unit Price Including VAT & IT (BDT)	Total Price Including VAT & IT (BDT)
1	2	3	4	5	6	7	8
16	Safety net	Brand: Kamayani Origin: India	Net Size: 3 m × 6 m 1st Layer: Mesh Rope Net Rope Diameter: 4 mm Mesh Size: 100 mm × 100 mm Border Rope Diameter: 12 mm 2nd Layer: FR Monofilament Net Material: Flame Retardant (FR) Monofilament Weight: 200 GSM Color: Yellow	pc	50		
17	Safety warning tape	Origin: China	Type: Handheld Retractable Warning Barrier Tape Housing Material: High Impact ABS Plastic Tape Material: Woven Polyester Fabric Tape Color: Red Print: "Warning Danger" (Custom Printing Available) Tape Width: 50 mm Tape Length: 5 m Retraction Mechanism: Spring Loaded Automatic Retractable Reel Locking System: Built-in Tape Lock Handle: Ergonomic Carry Handle	Set	20		

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320MW Thermal Power Plant Site, Dhankhali, Kalapara, Patuakhali.
Delivery Offered	20 (twenty) days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:


- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 7 & 8 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever



Sl. No.	Technical Specifications Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4	5
1	Goggle Model: Dräger X-pect 8120 Brand: Dräger Origin: Germany		Lens material: polycarbonate Frame material: Nylon Compatible with prescription glasses: Yes Lens color: Clear 99.9% UV protection. Anti-fog coating. Adjustable in length: Yes Adjustable angle: yes Weight: 43 gm Standard: EN 166:2001 and is CE compliant	
2	Short leather glove Model: RSG-110 Brand: Reliable Safety Origin: China		Natural Cow Grain Drivers Gloves Inside Fully Lined Standard: EN 388	
3	Led Torch Light (Small) Model: GFL4684Z Brand: GEEPAS Origin: China		6063 aircraft-grade aluminum alloy body 3.7V 18650, 3000mAh High capacity lithium battery 10W high power LED, and an output of 1000 lumens 1500 meters real range distance It has high, medium, low, flash, and SOS switch modes 6 hours of continuous working under the low function Universal USB Type-C charging port	
4	Test pen Brand: Total Origin: China		Test Voltage: AC 100-500V Slotted size: 04 x 190mm Packed by plastic hanger	
5	Acid-alkali resistant glove Model: 2095020 Brand: Honeywell Origin: EU		Material: Neoprene Thickness: 0.72 mm Dexterity: 5 Length: 33cm Product Use: Protection against a wide range of chemical products (detergents, some solvents, acids and bases). Standard: EN 420-2003 EEC Basic standard EN 388-2003 Mechanical risks EN 374-2003 Chemical risks	





Sl. No.	Technical Specifications Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4	5
6	High temperature resistant glove Model: Terrymix Brand: Honeywell Origin: China		Cotton/polyester blend terry knitted glove Elasticated and knitted wrist, 60mm Line: Heat Range: Thermal Protection Length: 25 cm Dexterity: Class 5 Standard: EN388, EN407	
7	Oil-resistant dipped rubber gloves Model: RSG-P-350 Brand: Reliable Safety Origin: China		Palm Material: Nitrile. Liner Type: Green Nylon Seamless Liner. Coating Color: Black. Liner Color: White Grip Pattern: Nitrile microfinish coating provides exceptional grip on objects in oily applications. Seam Style: Seamless. Cuff Style: Knit. Puncture Resistance: EN388.	
8	Wearable headlamp Origin: China		Light Source: 1 × T6 White LED + 1 × XPE Green LED Battery: 2 × 18650 Rechargeable Li-ion Batteries (2000 mAh) Lighting Modes: 3 Modes Zoom Function: Adjustable Zoom Focus Headband: Adjustable Elastic Headband Housing Material: Aluminum Alloy & ABS Color: Black	
9	Safety warning tape Origin: China		Helps prevent injury and accidents by marking construction area, obstacles and hazard This barricade tape with CAUTION legend High strength non-toxic non-flammable UV resistant ink lead free remains flexible in cold weather	
10	Disposable face mask Brand: Hello 7 Origin: BD		Disposable 3ply Surgical face mask for Medical use. First layer PP 22gsm, Second layer Meltblown 25gsm with 90-99% BFE, Third layer PP 22gsm, Automatic heat welded ear loop elastic and with standard nose wire. 3 Ply protection Nose Bar	



Sl. No.	Technical Specifications Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4	5
11	Anti-dust face mask Model: H910 Plus Brand: Honeywell Origin: India		Prevent non-oil particles and the filtering efficiency exceeds 95%; Honeywell's professional Anti-counterfeiting filter material to guarantee good quality; The built-in nose clip resists bending, is apt to shape and have a better fitness and safety without metal exposure; The nose clip is made of high-strength plastic composite metal, and its bending resistance capacity is enhanced significantly compared with the metal nose clip; The advanced sealing material is used for the nose pad, characterized by high fitness, softness and comfort; it can relieve the pressure on the nose bridge and make you feel more comfortable; The elastic headband can help to relieve the pressure from the head; and it is suitable for long hours of use; The big size offers much breathing space inside, more comfort.	
12	Coverall maintenance suit Brand: Reliable Safety Origin: China		Fabric: NOMEX® III A, 4.5 oz. Fabric Composition: 93% NOMEX®, 5% KEVLAR®, 2% ANTISTATIC. Fabric Weight: 150 GSM (ISO 11612). Available Colors: Royal Blue, Orange, Navy Blue, Red, Grey. Arc Rating (ATPV): 4.9 cal/cm². Standard: EN ISO 11612:2008 A1, B1, C1	
13	Scaffolding Safety signs Model: LT02 Brand: Lockey Origin: China		Made from PVC material. Can be written by erasable pen. Use with padlock to remind that the device has been lockout and can not be operated .It can only be opened by the one who lock it. On tag, you can see “danger /Do not operate/Caution security warning language and also “name /department /date”etc blank for you to fill in. Language both in English and Chinese. Size: 75mm(W)×146mm(H)×0.5mm(T) Other wording and design can be customized.	



Sl. No.	Technical Specifications Requirement from BCPCL			Offer From Bidder (Must Mention Brand and detailed specification)
1	2	3	4	5
14	Scaffolding cards Model: SLT01 Brand: Lockey Origin: China		Made from ABS. Provides system, procedural and legal compliance for scaffolds on work sites. Provides a clear inspection trail giving integrity and control of work carried out. The tags are available in three durable write-on materials, providing highly visual and eye-catching information. Each with a scaffold tag holder and a tag. The tags can be customized. Size: 310mm×92mm, Diameter: 60mm, 1 tag with 1 holder.	
15	Anticut Hand Gloves Model: WorkEasy 13G GY PU 1 Brand: Honeywell Origin: China		Cut level / color coding: CUT 1 Characteristics: Lightweight polyester knit Coating: Medium grey polyurethane coating Performance: EN388:2016 3121X Abrasion resistance: 2 (Abrasion resistance ASTM D3389) Puncture resistance: Level 2)	
16	Safety net Brand: Kamayani Origin: India		Net Size: 3 m × 6 m 1st Layer: Mesh Rope Net Rope Diameter: 4 mm Mesh Size: 100 mm × 100 mm Border Rope Diameter: 12 mm 2nd Layer: FR Monofilament Net Material: Flame Retardant (FR) Monofilament Weight: 200 GSM Color: Yellow	
17	Safety warning tape Origin: China		Type: Handheld Retractable Warning Barrier Tape Housing Material: High Impact ABS Plastic Tape Material: Woven Polyester Fabric Tape Color: Red Print: "Warning Danger" (Custom Printing Available) Tape Width: 50 mm Tape Length: 5 m Retraction Mechanism: Spring Loaded Automatic Retractable Reel Locking System: Built-in Tape Lock Handle: Ergonomic Carry Handle	



**Purchase Order
FOR
'Procurement of PPE for Unit 2 Class C Maintenance of Payra 1320MW TPP
(PR000506)'**

Purchase Order No. :

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. BCPCL reserves the right to cancel the Purchase Order in case the supplier fails to supply the items within the stipulated date.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,

(Rashed Morshed)
Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
Level#5, UTC Building, 8 Panthapath, Kawran Bazar
Dhaka-1215, Bangladesh



Terms and Conditions
for
‘Procurement of PPE for Unit 2 Class C Maintenance of Payra 1320MW
TPP (PR000506)’

Issued Ref.: BCPCL/Proc/RFQ/2026-27/0825.04

Issued On: August 25,2026

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **20 days** of issuing the Purchase Order in conformity with the Terms and Conditions. **Liquidated Damage for delaying delivery will be applicable at the rate 0.1% of the contract price per day for a maximum of 10%.**
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT [insert figure] [in words].
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.



16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c. fails to perform any other obligation(s) under the Contract.
18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.

