



BCPCL

Bangladesh-China Power Company Limited
A Joint Venture of CMC & NWPGCL

**REQUEST FOR QUOTATION
FOR**

**Procurement of Safety items for O&M Contractor of
BCPCL at Payra 1320 MW TPP site
(O&M/2026-27/PR-585)**

BANGLADESH-CHINA POWER COMPANY LIMITED
(A Joint Venture of CMC and NWPGCL)
UTC Building (Level-05), 8 Panthapath,
Kawran Bazar, Dhaka-1215, Bangladesh

Issued Ref.: BCPCL/Procurement/RFQ/2026-27/1006.02
Issued On: October 06, 2026

Date of Submission: October 15, 2026; 12:00 PM





BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh
Phone No. 9143908, 9140757, Web: www.bcpcl.org.bd, E-mail: info@bcpcl.org.bd

REQUEST FOR QUOTATION

for

Procurement of Safety items for O&M Contractor of BCPCL at Payra 1320 MW TPP site (O&M/2026-27/PR-585)

Issued Ref.: BCPCL/Procurement/RFQ/2026-27/1006.02

Issued On: October 06, 2026

To

1. **Bangladesh-China Power Company Limited** has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail (procurement@bcpcl.org.bd) on or before October 15, 2026, 12:00 PM. The envelope containing the Quotation must be clearly marked "**Procurement of Safety items for O&M Contractor of BCPCL at Payra 1320 MW TPP site (O&M/2026-27/PR-585)**" and "DO NOT OPEN before October 15, 2026, 12:30 PM". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation. For Quotations submitted by email, the Quotation must be enclosed in a **password-protected** file. The password shall be submitted only after the quotation submission deadline. Any password received before the deadline may result in **rejection** of the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.



10. No public opening of Quotations received by the closing date shall be held.
11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit the following certified photocopies of latest documents:
 - i) Valid Trade License;
 - ii) Tax Identification Number (TIN);
 - iii) VAT Registration Number;

Failure to submit such documents shall cause rejection of Quotation.

14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
16. The supply of Goods and related services shall be completed within **14 Days** from the date of issuing the Purchase Order.
17. Bidders must specify the Brand and Model of the offered items (where applicable) and provide a clear and detailed description of the product. Failure to do so will render the tender Technically Non-Responsive. Any generic remarks such as "**As Per Requirement**," "**As Per Tender Document**," or similar statements in the Technical Specification of the Goods Required section will not be accepted and will result in the bid being considered **Technically Non-Responsive**.
18. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **03 days** of receipt of approval from the Approving Authority.
19. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

Handwritten signature
06/10/2016

Rashed Morshed
Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.
e-mail: procurement@bcpcl.org.bd

Distribution:

1. Notice Board.
2. Office File.



Quotation Submission Letter

Issued Ref.: BCPCL/Procurement/RFQ/2026-27/1006.02
Issued On: October 06, 2026

Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Procurement of Safety items for O&M Contractor of BCPCL at Payra 1320 MW TPP site (O&M/2026-27/PR-585)**.

The total Price of my/our Quotation is BDT

In Words:

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17(b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on **October 06, 2026**

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.

Signature of Quotationer with Seal
Date:



Price Schedule for Goods and Related Services

Sl. No.	Description of Item	Specification	Unit	Qty	Unit Cost (BDT), Including VAT & TAX	Total Cost (BDT), Including VAT & TAX
1	Headworn mask	Renowned Brand Fit for Adult Face (Adjustable) Latest EN/GB Standard or Equivalent Standard Suitable for Welding Data Sheet Must be available	pcs	10		
2	Helmet (White)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: White Latest EN/GB/US Standard Production Year: 2026	pcs	10		
3	Helmet (BLUE)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: Blue Latest EN/GB/US Standard Production Year: 2026	pcs	30		
4	Helmet (Yellow)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: Yellow Latest EN/GB/US Standard Production Year: 2026	pcs	30		
5	Helmet (RED)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: Red Latest EN/GB/US Standard Production Year: 2026	pcs	10		
6	LED Flashlight (Torch Light)	Renowned Brand Material: ABS Rechargeable torch light (Latest USB Charging)	pcs	30		



Sl. No.	Description of Item	Specification	Unit	Qty	Unit Cost (BDT), Including VAT & TAX	Total Cost (BDT), Including VAT & TAX
		Lithium Battery with long backup Waterproof Strong light portable lamp with side light Gear position: 4 gears (strong-low-SOS-COB side light) Charger must be provided Product Manual must be provided (English) Power display: Yes The package includes: 1PCSS×Flashlight 1PCSS×USB cable				
7	Head Lamp	Renowned Brand Must fit or set with Work helmet/Head Rechargeable (Lates USB Charging) High-Capacity Lithium Battery with long backup Must meet work standard lumen Waterproof Standard Light Mode: 3/4 Charger must be provided Product Manual Must be provided (English)	pcs	15		
8	Safety Belt	Honeywell/Karam or Renowned Brand with similar specs Adjustable Straps Durable Material 3/4 points Latest EN/GB Standard or equivalent standard Lanyard provided	pcs	10		
9	Safety Goggles	Renowned Brands Latest GB/EN or Equivalent Standard Suitable for Construction site, Dusty Area and Chemical Area Sealed Goggles Anti fog and Anti scratch coating	pcs	20		
10	Welder's glasses	Factory floor cutting electric welding protects eyes from injury Renowned Brand Latest EN/GB Standard or Equivalent Suitable for all welding/cutting procedure	pcs	50		
11	Earplugs	Renowned Brand Latest EN/GB Standard value ≥34dB (3M318-1005) Color: Orange Size Fits All Shape flange Corded Yes Product Use: Multi-Use Earplug	pcs	300		
12	Rubber gas mask	Material: Rubber / PC Lens Renowned Brand Latest EN/GB Standard or Equivalent Full Faced Protection Suitable for all chemical use Reuseable and Filter replaceable Filter included Data sheet preferable	pcs	10		
13	Goggles	3M or Renowned Brands Anti-Fog Safety Goggle Protect against chemical splashes Latest GB/EN or Equivalent Standard	pcs	20		
14	Raincoat:	Renowned Brand Durable Waterproof Breathable Material	set	20		



Sl. No.	Description of Item	Specification	Unit	Qty	Unit Cost (BDT), Including VAT & TAX	Total Cost (BDT), Including VAT & TAX
		2 pieces (Jacket+Pant) Waterproof Buckle at neck, Wrist, toe Adjustable Hood Waterproof Zipper Size: XXL				
15	Raincoat:	Renowned Brand Durable Waterproof Breathable Material 2 pieces (Jacket+Pant) Waterproof Buckle at neck, Wrist, toe Adjustable Hood Waterproof Zipper Size: XXXL	set	20		
16	Umbrella Steel skeleton	Steel skeleton, Iron tube Heavy use, windproof umbrella with high-quality handle for comfortable gripping, 24 ribs design, strong wind resistance, and stable support. Perfect for travel, business, camping, and daily use. The diameter opens the umbrella is 105cm/41.34inch, height is 80cm/31.50inch.	pcs	50		
17	Cotton Gloves: Cotton Hand Gloves	Renowned Brand Latest EN/GB Standard Dotted for proper Grip Ideal for use in General Handling, General maintenance, Components handling, Light assembly, Loading and unloading.	set	500		
18	Rubber Gloves:	Material: Nylon Renowned Brand Latest GB/EN or equivalent Standard Anticut Rubber/nitrile coating Ideal for use in General Handling, General maintenance, Components handling, Light assembly, Loading and unloading.	set	750		
19	Corrosion resistant rubber gloves	Renowned Brand Suitable for Concentrated Chemical Use (Acid & Base) Latest GB/EN or equivalent standard Fit for any adult Hand	set	30		
20	3M Anti Particle Mask	Category: Protective, Filters, Half face mask Color: Any Function: Anti-dust, Anti-fog and haze, Anti-particles, PM2.5 Materials: TPE Rubber + Cotton	pcs	20		
21	3M anti Particle Mask Filter Cotton	Material: Cotton Color: White Unit Count: 10.00 Count Item Weight: 0.4 lbs. (0.18 kg) 3M/Honeywell or Equivalent Brand Latest EN/GB Standard Suitable for working Coaly Area Protection very fine particle size	pcs	1000		
22	Charge Handheld lighting Handheld Type	Renowned Brand Illumination Endurance: Offers up to 20 hours of high-brightness lighting without dimming	pcs	10		



Sl. No.	Description of Item	Specification	Unit	Qty	Unit Cost (BDT), Including VAT & TAX	Total Cost (BDT), Including VAT & TAX
		Fast Charging: Features 3A high-current fast charging capabilities that can fully top up the battery in 4 hours Light Source: High-density LED matrix panel utilizing matrix optical lenses for enhanced beam distance and dispersion Weather Resistance: Typically rated at IP65 or IP66 waterproof and dustproof, allowing it to safely operate outdoors in heavy rain or harsh conditions Portability & Build: Designed with a 360-degree adjustable yellow H-stand, integrated top carrying handle with a soft grip, and an independent wireless remote control for mode switching from a distance				
23	Charge Handheld lighting Handheld+ Desk Type	Renowned Brand Illumination Endurance: Offers up to 20 hours of high-brightness lighting without dimming, as highlighted on the promotional text. Fast Charging: Features 3A high-current fast charging capabilities that can fully top up the battery in 4 hours. Light Source: High-density LED matrix panel utilizing matrix optical lenses for enhanced beam distance and dispersion. Weather Resistance: Typically rated at IP65 or IP66 waterproof and dustproof, allowing it to safely operate outdoors in heavy rain or harsh conditions. Portability & Build: Designed with a 360-degree adjustable yellow H-stand, integrated top carrying handle with a soft grip, and an independent wireless remote control for mode switching from a distance	pcs	10		
24	Waterproof Suit	Renowned Brand Latest EN/GB Standard Suitable for Use in Chemical Storage Site. Data Sheet Certification. Made from Nylon / Polyester / PVC Used in Chemical plants, refineries, food processing and environmental clean-up. Ankle snap, adjustable waist strap, and adjustable elastic suspender strap.	pcs	2		
25	Safety shoes Size: 39	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 39	pairs	10		



Sl. No.	Description of Item	Specification	Unit	Qty	Unit Cost (BDT), Including VAT & TAX	Total Cost (BDT), Including VAT & TAX
26	Safety shoes Size: 40	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 40	pairs	20		
27	Safety shoes Size: 41	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 41	pairs	20		
28	Safety shoes Size: 42	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 42	pairs	20		
29	Safety shoes Size: 43	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 43	pairs	10		
30	Safety shoes Size: 44	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 44	pairs	10		
Total Price (Including VAT and TAX)						
In Words:						

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320 MW Thermal Power Plant, Kalapara, Patuakhali.
Delivery Offered	14 Days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
---	--------------



Name of the Quotationer	
-------------------------	--

Note:

1. Col. 1, 2, 3, 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
2. Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever up to the point of delivery of Goods and related services in all respects to the satisfaction of the Procuring Entity.



Technical Specification of the Goods Required

Issued Ref.: BCPCL/Procurement/RFQ/2026-27/1006.02

Issued On: October 06, 2026

Sl. No.	Technical Specification and Standards for required goods and related services		Full Technical Specification and Standards offered by the Quotationer * (Must Be Filled Properly) *
1	2		3
1	Headworn mask	Renowned Brand Fit for Adult Face (Adjustable) Latest EN/GB Standard or Equivalent Standard Suitable for Welding Data Sheet Must be available	
2	Helmet (White)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: White Latest EN/GB/US Standard Production Year: 2026	
3	Helmet (BLUE)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: Blue Latest EN/GB/US Standard Production Year: 2026	
4	Helmet (Yellow)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color: Yellow Latest EN/GB/US Standard Production Year: 2026	
5	Helmet (RED)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated.	



Sl. No.	Technical Specification and Standards for required goods and related services		Full Technical Specification and Standards offered by the Quotationer * (Must Be Filled Properly) *
1	2		3
		Padding: Internal Comfort Padding Color: Red Latest EN/GB/US Standard Production Year: 2026	
6	LED Flashlight (Torch Light)	Renowned Brand Material: ABS Rechargeable torch light (Latest USB Charging) Lithium Battery with long backup Waterproof Strong light portable lamp with side light Gear position: 4 gears (strong-low-SOS-COB side light) Charger must be provided Product Manual must be provided (English) Power display: Yes The package includes: 1PCSS×Flashlight 1PCSS×USB cable	
7	Head Lamp	Renowned Brand Must fit or set with Work helmet/Head Rechargeable (Latest USB Charging) High-Capacity Lithium Battery with long backup Must meet work standard lumen Waterproof Standard Light Mode: 3/4 Charger must be provided Product Manual Must be provided (English)	
8	Safety Belt	Honeywell/Karam or Renowned Brand with similar specs Adjustable Straps Durable Material 3/4 points Latest EN/GB Standard or equivalent standard Lanyard provided	
9	Safety Goggles	Renowned Brands Latest GB/EN or Equivalent Standard Suitable for Construction site, Dusty Area and Chemical Area Sealed Goggles Anti fog and Anti scratch coating	
10	Welder's glasses	Factory floor cutting electric welding protects eyes from injury Renowned Brand Latest EN/GB Standard or Equivalent Suitable for all welding/cutting procedure	
11	Earplugs	Renowned Brand Latest EN/GB Standard value $\geq 34\text{dB}$ (3M318-1005) Color: Orange Size Fits All Shape flange Corded Yes Product Use: Multi-Use Earplug	
12	Rubber gas mask	Material: Rubber / PC Lens Renowned Brand Latest EN/GB Standard or Equivalent Full Faced Protection Suitable for all chemical use Reusable and Filter replaceable	



Sl. No.	Technical Specification and Standards for required goods and related services		Full Technical Specification and Standards offered by the Quotationer * (Must Be Filled Properly) *
1	2		3
		Filter included Data sheet preferable	
13	Goggles	3M or Renowned Brands Anti-Fog Safety Goggle Protect against chemical splashes Latest GB/EN or Equivalent Standard	
14	Raincoat:	Renowned Brand Durable Waterproof Breathable Material 2 pieces (Jacket+Pant) Waterproof Buckle at neck, Wrist, toe Adjustable Hood Waterproof Zipper Size: XXL	
15	Raincoat:	Renowned Brand Durable Waterproof Breathable Material 2 pieces (Jacket+Pant) Waterproof Buckle at neck, Wrist, toe Adjustable Hood Waterproof Zipper Size: XXXL	
16	Umbrella Steel skeleton	Steel skeleton, Iron tube Heavy use, windproof umbrella with high-quality handle for comfortable gripping, 24 ribs design, strong wind resistance, and stable support. Perfect for travel, business, camping, and daily use. The diameter opens the umbrella is 105cm/41.34inch, height is 80cm/31.50inch.	
17	Cotton Gloves: Cotton Hand Gloves	Renowned Brand Latest EN/GB Standard Dotted for proper Grip Ideal for use in General Handling, General maintenance, Components handling, Light assembly, Loading and unloading.	
18	Rubber Gloves:	Material: Nylon Renowned Brand Latest GB/EN or equivalent Standard Anticut Rubber/nitrile coating Ideal for use in General Handling, General maintenance, Components handling, Light assembly, Loading and unloading.	
19	Corrosion resistant rubber gloves	Renowned Brand Suitable for Concentrated Chemical Use (Acid & Base) Latest GB/EN or equivalent standard Fit for any adult Hand	
20	3M Anti Particle Mask	Category: Protective, Filters, Half face mask Color: Any Function: Anti-dust, Anti-fog and haze, Anti-particles, PM2.5 Materials: TPE Rubber + Cotton	
21	3M anti Particle Mask Filter Cotton	Material: Cotton Color: White Unit Count: 10.00 Count Item Weight: 0.4 lbs. (0.18 kg) 3M/Honeywell or Equivalent Brand Latest EN/GB Standard	



Sl. No.	Technical Specification and Standards for required goods and related services		Full Technical Specification and Standards offered by the Quotationer * (Must Be Filled Properly) *
1	2		3
		Suitable for working Coaly Area Protection very fine particle size	
22	Charge Handheld lighting Handheld Type	Renowned Brand Illumination Endurance: Offers up to 20 hours of high-brightness lighting without dimming Fast Charging: Features 3A high-current fast charging capabilities that can fully top up the battery in 4 hours Light Source: High-density LED matrix panel utilizing matrix optical lenses for enhanced beam distance and dispersion Weather Resistance: Typically rated at IP65 or IP66 waterproof and dustproof, allowing it to safely operate outdoors in heavy rain or harsh conditions Portability & Build: Designed with a 360-degree adjustable yellow H-stand, integrated top carrying handle with a soft grip, and an independent wireless remote control for mode switching from a distance	
23	Charge Handheld lighting Handheld+ Desk Type	Renowned Brand Illumination Endurance: Offers up to 20 hours of high-brightness lighting without dimming, as highlighted on the promotional text. Fast Charging: Features 3A high-current fast charging capabilities that can fully top up the battery in 4 hours. Light Source: High-density LED matrix panel utilizing matrix optical lenses for enhanced beam distance and dispersion. Weather Resistance: Typically rated at IP65 or IP66 waterproof and dustproof, allowing it to safely operate outdoors in heavy rain or harsh conditions. Portability & Build: Designed with a 360-degree adjustable yellow H-stand, integrated top carrying handle with a soft grip, and an independent wireless remote control for mode switching from a distance	
24	Waterproof Suit	Renowned Brand Latest EN/GB Standard Suitable for Use in Chemical Storage Site. Data Sheet Certification. Made from Nylon / Polyester / PVC Used in Chemical plants, refineries, food processing and environmental clean-up. Ankle snap, adjustable waist strap, and adjustable elastic suspender strap.	
25	Safety shoes Size: 39	Honeywell or Karam or Renowned EU/US Brand, Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet, Size: 39	
26	Safety shoes Size: 40	Honeywell or Karam or Renowned EU/US Brand, Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection	



Sl. No.	Technical Specification and Standards for required goods and related services		Full Technical Specification and Standards offered by the Quotationer * (Must Be Filled Properly) *
1	2		3
		Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 40	
27	Safety shoes Size: 41	Honeywell or Karam or Renowned EU/US Brand, Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 41	
28	Safety shoes Size: 42	Honeywell or Karam or Renowned EU/US Brand, Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 42	
29	Safety shoes Size: 43	Honeywell or Karam or Renowned EU/US Brand, Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 43	
30	Safety shoes Size: 44	Honeywell or Karam or Renowned EU/US Brand, Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 44	

(Annexure-01, containing the reference models and pictures of the required items, is provided at the end of this tender document)

All products must be **ORIGINAL and Quotations must include complete and clearly defined Technical Specifications, along with the exact Model and Brand Name for each item under the 'Full Technical Specification and Standards Offered by the Quotationer' section. Any omission, ambiguity, or failure to provide this information will result in the quotation being deemed **technically non-responsive** and will lead to immediate disqualification from further evaluation, without exception.*

The items have been specified with particular manufacturers. The supplier must provide the **exact specified brand and model as mentioned in the tender document. Products from any other manufacturer or alternative models **shall not be accepted**.*



**Purchase Order
FOR
Procurement of Safety items for O&M Contractor of BCPCL at Payra 1320
MW TPP site (O&M/2026-27/PR-585)**

Purchase Order No.:

Date:

To:

Purchase Order Value: BDT

Taka in words:

Completion date of delivery:

Delivery terms:

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. Failure to supply the items within the completion date entitled the procuring entity may terminate the Purchase Order.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,

(Rashed Morshed)
Superintending Engineer (Procurement)
Bangladesh-China Power Company Limited
Level#5, UTC Building, 8 Panthapath, Kawran Bazar
Dhaka-1215, Bangladesh



Terms and Conditions
for
Procurement of Safety items for O&M Contractor of BCPCL at Payra 1320
MW TPP site (O&M/2026-27/PR-585)


1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **14 Days** of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract **Price is BDT [insert figure] [in words]**.
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. Damage to the Goods during the Warranty Period shall be remedied by the Supplier at the Supplier's own cost, if the damage arises from the supply and installation by the Supplier.




16. No modification to the Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.
17. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
18. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
 - a fails to deliver Goods and related services as per Delivery Schedule and Specifications.
 - b in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
 - c fails to perform any other obligation(s) under the Contract.
19. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
20. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.



Annexure 01

Sl. No.	Description of Item	Specification	Picture
1	Headworn mask	Renowned Brand Fit for Adult Face (Adjustable) Latest EN/GB Standard or Equivalent Standard Suitable for Welding Data Sheet Must be available	
2	Helmet (White)	Honeywell/Karam or Renowned Brand with similar specs Material: High-Density Polyethylene (HDPE) Design Type: Full-Brim Slider or nap type adjustment to suit most head sizes. Adjustment Type: Ratchet Has ventilated. Padding: Internal Comfort Padding Color : White Latest EN/GB/US Standard Production Year: 2026	
6	LED Flashlight (Torch Light)	Renowned Brand Material: ABS Rechargeable torch light (Latest USB Charging) Lithium Battery with long backup Waterproof Strong light portable lamp with side light Gear position: 4 gears (strong-low-SOS-COB side light) Charger must be provided Product Manual must be provided (English)Power display: Yes The package includes: 1PCSS×Flashlight 1PCSS×USB cable	




Sl. No.	Description of Item	Specification	Picture
7	Head Lamp	Renowned Brand Must fit or set with Work helmet/Head Rechargeable (Lates USB Charging) High Capacity Lithium Battery with long backup Must meet work standard lumen Waterproof Standard Light Mode: 3/4 Charger must be provided Product Manual Must be provided (English)	
8	Safety Belt	Honeywell/Karam or Renowned Brand with similar specs Adjustable Straps Durable Material 3/4 points Latest EN/GB Standard or equivalent standard Lanyard provided	
9	Safety Goggles	Renowned Brands Latest GB/EN or Equivalent Standard Suitable for Construction site, Dusty Area and Chemical Area Sealed Goggles Anti fog and Anti scratch coating	
10	Welder's glasses	Factory floor cutting electric welding protect eyes from injury Renowned Brand Latest EN/GB Standard or Equivalent Suitable for all welding/cutting procedure	



Sl. No.	Description of Item	Specification	Picture
11	Earplugs	Renowned Brand Latest EN/GB Standard value ≥ 34 dB (3M318-1005) Color: Orange Size Fits All Shape flange Corded Yes Product Use :Multi-Use Earplug	
12	Rubber gas mask	Material: Rubber / PC Lens Renowned Brand Latest EN/GB Standard or Equivalent Full Faced Protection Suitable for all chemical use Reusable and Filter replaceable Filter included Data sheet preferable	
13	Goggles	3M or Renowned Brands Anti-Fog Safety Goggle Protect against chemical splash Latest GB/EN or Equivalent Standard	
14	Rain Coat:	Renowned Brand Durable Waterproof Breathable Material 2 piece (Jacket+Pant) Water Proof Buckle at neck, Wrist, toe Adjustable Hood Waterproof Zipper Size: XXL	



Sl. No.	Description of Item	Specification	Picture
16	Umbrella Steel skeleton	Steel skeleton, Iron tube Heavy use, windproof umbrella with high quality handle for comfortable gripping, 24 ribs design, strong wind resistance, and stable support. Perfect for travel, business, camping, and daily use. The diameter open the umbrella is 105cm/41.34inch, height is 80cm/31.50inch.	
17	Cotton Gloves: Cotton Hand Gloves	Renowned Brand Latest EN/GB Standard Dotted for proper Grip Ideal for use in General Handling, General maintenance, Components handling, Light assembly, Loading and unloading.	
18	Rubber Gloves:	Material: Nylon Renowned Brand Latest GB/EN or equivalent Standard Anticut Rubber/nitrile coating Ideal for use in General Handling, General maintenance, Components handling, Light assembly, Loading and unloading.	
19	Corrosion resistant rubber gloves	Renowned Brand Suitable for Concentrated Chemical Use (Acid & Base) Latest GB/EN or equivalent standard Fit for any adult Hand	



Sl. No.	Description of Item	Specification	Picture
20	3M Anti Particle Mask	Category: Protective, Filters, Half face mask Color: Any Function: Anti-dust, Anti-fog and haze, Anti-particles, PM2.5 Materials: TPE Rubber + Cotton	 3M 配静电过滤棉 原装正品 佩戴舒适 7772硅胶面罩 工业粉尘 / 矿业防护
21	3M anti Particle Mask Filter Cotton	Material: Cotton Color: White Unit Count: 10.00 Count Item Weight: 0.4 lbs (0.18 kg) 3M/Honeywell or Equivalent Brand Latest EN/GB Standard Suitable for working Coaly Area Protection very fine particle size	 此面请朝向脸部 3M 7772 静电过滤棉 防尘 颗粒物
22	Charge Handheld lighting Handheld Type	Renowned Brand Illumination Endurance: Offers up to 20 hours of high-brightness lighting without dimming Fast Charging: Features 3A high-current fast charging capabilities that can fully top up the battery in 4 hours Light Source: High-density LED matrix panel utilizing matrix optical lenses for enhanced beam distance and dispersion Weather Resistance: Typically rated at IP65 or IP66 waterproof and dustproof, allowing it to safely operate outdoors in heavy rain or harsh conditions	 黑科技 大功率长续航 可充手机 支持 华为 TYPE-C充电



Sl. No.	Description of Item	Specification	Picture
		Portability & Build: Designed with a 360-degree adjustable yellow H-stand, integrated top carrying handle with a soft grip, and an independent wireless remote control for mode switching from a distance	
23	Charge Handheld lighting Handheld+Desk Type	Renowned Brand Illumination Endurance: Offers up to 20 hours of high-brightness lighting without dimming, as highlighted on the promotional text. Fast Charging: Features 3A high-current fast charging capabilities that can fully top up the battery in 4 hours. Light Source: High-density LED matrix panel utilizing matrix optical lenses for enhanced beam distance and dispersion. Weather Resistance: Typically rated at IP65 or IP66 waterproof and dustproof, allowing it to safely operate outdoors in heavy rain or harsh conditions. Portability & Build: Designed with a 360-degree adjustable yellow H-stand, integrated top carrying handle with a soft grip, and an independent wireless remote control for mode switching from a distance	



Sl. No.	Description of Item	Specification	Picture
24	Waterproof Suit	Renowned Brand Lateset EN/GB Standard Suitable for Use in Chemical Storage Site. Data Sheet Certification. Made from Nylon / Polyester / PVC Used in Chemical plants, refineries, food processing and environmental clean-up. Ankle snap, adjustable waist strap, and adjustable elastic suspender strap.	
25	Safety shoe Size: 39	Honeywell or Karam or Renowned EU/US Brand Toe Cap Insulated Sole for Electrical protection, Slip and Trip Protection Hydrophobic Durable Material Production Year: 2026 Data Sheet Size: 39	



