



**BCPCL**

**Bangladesh-China Power Company Limited**  
A Joint Venture of CMC & NWPGL

**REQUEST FOR QUOTATION  
FOR**

**Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and Imported Items) at Payra 1320 MW Thermal Power Plant**

**BANGLADESH-CHINA POWER COMPANY LIMITED**  
**(A Joint Venture of CMC and NWPGL)**  
**UTC Building (Level-05), 8 Panthapath,**  
**Kawran Bazar, Dhaka-1215, Bangladesh**

**Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0914.01**

**Issued On: September 14, 2025**

**Submission On: September 21, 2025**





# BANGLADESH-CHINA POWER COMPANY LIMITED

(A Joint Venture of CMC and NWPGL)

UTC Building (Level # 5), 8 Panthapath, Kawran Bazar, Dhaka-1215, Bangladesh  
Phone No. 9143908, 9140757, Web: [www.bcpcl.org.bd](http://www.bcpcl.org.bd), E-mail: [info@bcpcl.org.bd](mailto:info@bcpcl.org.bd)

## REQUEST FOR QUOTATION

for

### Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and Imported Items) at Payra 1320 MW Thermal Power Plant

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0914.01

Issued On: September 14, 2025

To

1. BANGLADESH-CHINA POWER COMPANY LIMITED has been allocated funds and intends to apply a portion of the funds to eligible payments under the Contract for which this Quotation Document is issued.
2. Detailed Specifications for the intended goods and related services are available in the office of the Procuring Entity for inspection by the potential Quotationers during office hours on all working days.
3. Quotation shall be prepared and submitted using the 'RFQ Document'.
4. Quotation shall be completed properly, duly signed-dated each page by the authorized signatory and submitted by the date to the office as specified in Para 6 below.
5. No Securities such as Quotation Security (i.e. the traditionally termed Earnest Money, Tender Security) and Performance Security shall be required for submission of the Quotation and delivery of the Goods (if awarded) respectively.
6. Quotation in a sealed envelope or by fax or through electronic mail on or before September 21, 2025, 12:00 PM. The envelope containing the Quotation must be clearly marked "**Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and Imported Items) at Payra 1320 MW Thermal Power Plant**" and "DO NOT OPEN before September 21, 2025, 12:30 PM". Quotations received later than the time specified herein shall not be accepted.
7. Quotations received by fax or through electronic mail shall be sealed-enveloped by the Procuring Entity duly marked as stated in Para 6 above and, all Quotations thus received shall be sent to the Evaluation Committee for evaluation, without opening, by the same date of closing the Quotation.
8. The Procuring Entity may extend the deadline for submission of Quotations on justifiably acceptable grounds duly recorded subject to threshold of ten (10) days.
9. All Quotations must be valid for a period of at least 60 (Sixty) days from the closing date of the Quotation.





10. No public opening of Quotations received by the closing date shall be held.
  11. Quotationer's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law, if the Contract is awarded.
  12. Rates shall be quoted and, subsequent payments under this Contract shall be made in BDT. The price offered by the Quotationer, if accepted shall remain fixed for the duration of the Contract.
  13. Quotationer shall have legal capacity to enter into Contract. Quotationer, in support of its qualification shall be required to submit the following certified photocopies of latest documents:
    - i) valid Trade License.
    - ii) Tax Identification Number (TIN).
    - iii) VAT Registration Number.
- Failure to submit such documents shall cause rejection of Quotation.
14. Quotations shall be evaluated based on information and documents submitted with the Quotations, by the Evaluation Committee and, at least three (3) responsive Quotations will be required to determine the lowest evaluated responsive Quotations for award of the Contract.
  15. In case of anomalies between unit rates or prices and the total amount quoted, the unit rates or prices shall prevail. In case of discrepancy between words and figures the former will govern. In case of quotation submitted on Lump-sum basis, if anomalies found between figures and words, the words will prevail. Quotationer shall remain bound to accept the arithmetic corrections made by the Evaluation Committee.
  16. The supply of Goods and related services shall be completed within **42 Days** from the date of issuing the Purchase Order.
  17. The Purchase Order that constitutes the Contract binding upon the Supplier and the Procuring Entity shall be issued within **2 days** of receipt of approval from the Approving Authority.
  18. The Procuring Entity reserves the right to reject all the Quotations or annul the procurement proceedings.

*Rashed* 14/09/2025

**Rashed Morshed**

Superintending Engineer (Procurement)

BANGLADESH-CHINA POWER COMPANY LIMITED

UTC Building (Level-05), 8 Panthapath, Kawran Bazar,

Dhaka-1215, Bangladesh.

e-mail: rashedmorshed@bcpcl.org.bd

**Distribution:**

1. Notice Board.
2. Office File.



# Quotation Submission Letter

Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0914.01  
Issued On: September 14, 2025

**Superintending Engineer (Procurement)**  
**BANGLADESH-CHINA POWER COMPANY LIMITED**  
UTC Building (Level-05), 8 Panthapath, Kawran Bazar,  
Dhaka-1215, Bangladesh.

I/We, the undersigned, offer to execute in conformity with the Conditions of Contract for execution of the Works and physical services named **Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and Imported Items) at Payra 1320 MW Thermal Power Plant**

**The total Price of my/our Quotation is BDT**

**In Words:**

My/Our Quotation shall remain valid for the period stated in the RFQ Document and it shall remain binding upon us and, may be accepted at any time prior to the expiration of its validity period.

I/We declare that I/we have the legal capacity to enter into a contract with you, and have not been declared ineligible by the Government of Bangladesh on charges of engaging in corrupt, fraudulent, collusive or coercive practices. Furthermore, I/we am/are aware of Para 17(b) of the Terms and Conditions and pledge not to indulge in such practices in competing for or in executing the works.

I/We am/are not submitting more than one Quotation in this RFQ process in my/our own name or other name or in different names. I/We understand that your written invitation to sign the Contract shall become binding upon us, until a formal Contract is signed.

I/We have examined and have no reservations to the RFQ Document issued by you on September 14, 2025

I/We understand that you reserve the right to reject all the Quotations or annul the procurement proceedings without incurring any liability to me/us.



Signature of Quotationer with Seal  
Date:



## Price Schedule for Goods and Related Services

Sl. No	Item Description	Unit	Qty	Unit Price Including VAT & Tax	Total Price Including VAT & Tax
1	2	3	4	5	6=5*4
1	<b>Sampling machine belt</b> Specification: 650*3* (3+1.5) L- 3480mm Belt Width= 650mm, 3 layers, upper layer= 3mm, lower layer= 1.5mm. Manufacturer: SAIMO	Set	2		
2	<b>combined aural and visual alarm</b> Specification: HQSG-116/B Voltage: 12 V-380VAC / DC Power frequency: 50Hz-60Hz Power: 20 W-150W Sound pressure: 60 dB-150dB Working temperature: -30 ° C - 70 ° C Protection level: IP65  Manufacturer : Shanghai Shuangxu Electronics Co., LTD	Pcs	50		
3	<b>One feeding belt of the furnace sampling machine</b> Specification: 450*3* (3+1.5) *2451 (inner circumference. Width=450mm, layers=3, Upper cover= 3mm, lower cover= 1.5mm Manufacturer: SAIMO	Set	2		
4	<b>Gear Coupling</b> Specification: KRC1527 Manufacturer: Shenyang Electric Power Machinery General Factory	Set	1		
5	<b>Dry fog dust suppression pipe solenoid valve</b> Specification: NF-MXX /OLTS:230/50 WATTS:10.5W PIPE:1/2NPT RF:16mm Manufacturer: ASCO.	nos	10		
6	<b>Polyurethane elastic block for Coupling</b> Specification: 365×250×220×60 (12π) Overall Outer Diameter=365mm, Outer diameter without Spider=250mm, inner diameter= 200mm, spider number=12, spider diameter=60mm	Pcs	10		
7	<b>Polyurethane elastic block for Coupling</b> Specification: 300×190×165×49 (10 π) Overall Outer Diameter=300mm, Outer diameter without Spider=190mm, inner	Pcs	10		



Sl. No	Item Description	Unit	Qty	Unit Price Including VAT & Tax	Total Price Including VAT & Tax
1	2	3	4	5	6=5*4
	diameter= 165mm, spider number=10, spider diameter=49mm				
8	<b>matrix plate</b> Specification: 1.5*1 meter Matrix Plate- length 1.5meter, width- 1meter thickness 5mm Gap between matrix plate 25mm Gap between matrix rod 45mm Matrix rod dia 8mm	NOS	4		
<b>Total Price Including Vat &amp; Tax</b>					

Total Price Including VAT & IT (in words)	
Goods to be supplied to	Payra 1320 MW TPP Site. Dhankhali, Kalapara, Patuakhali
Delivery Offered	42 Days from the date of issuing purchase order

[Insert number] number corrections made by me/us have been duly initialed in this BoQ.

Signature of the Quotationer with Seal	Date:
Name of the Quotationer	

Note:

- Col. 1, 2, 3 & 4 to be filled in by the Procuring Entity and Col. 5 & 6 by the Quotationer.
- Rates or Prices shall include profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges earlier paid or to be paid under the Applicable Law, if the Contract is awarded; including transportation, insurance etc. Whatsoever up to the point of delivery of Goods and related services in all respects to the satisfaction of the Procuring Entity.





# Technical Specification of the Goods Required


Issued Ref.: BCPCL/Procurement/RFQ/2025-26/0914.01

Issued On: September 14, 2025

Sl. No	Technical Specification and Standards for required goods and related services	Full Technical Specification and Standards offered by the Quotationer
1	<b>Sampling machine belt</b> Specification: 650*3* (3+1.5) L=3480mm Belt Width= 650mm, 3 layers, upper layer= 3mm, lower layer= 1.5mm. Manufacturer: SAIMO	
2	<b>combined aural and visual alarm</b> Specification: HQSG-116/B Voltage: 12 V-380VAC / DC Power frequency: 50Hz-60Hz Power: 20 W-150W Sound pressure: 60 dB-150dB Working temperature: -30 ° C - 70 ° C Protection level: IP65 Manufacturer : Shanghai Shuangxu Electronics Co., LTD	
3	<b>One feeding belt of the furnace sampling machine</b> Specification: 450*3* (3+1.5) *2451 (inner circumference. Width=450mm, layers=3, Upper cover= 3mm, lower cover= 1.5mm Manufacturer: SAIMO	
4	<b>Gear Coupling</b> Specification: KRC1527 Manufacturer: Shenyang Electric Power Machinery General Factory	
5	<b>Dry fog dust suppression pipe solenoid valve</b> Specification: NF-MXX /OLTS:230/50 WATTS:10.5W PIPE:1/2NPT RF:16mm Manufacturer: ASCO.	
6	<b>Polyurethane elastic block for Coupling</b> Specification: 365×250×220×60 (12π) Overall Outer Diameter=365mm, Outer diameter without Spider=250mm, inner diameter= 200mm, spider number=12, spider diameter=60mm	
7	<b>Polyurethane elastic block for Coupling</b> Specification: 300×190×165×49 (10 π) Overall Outer Diameter=300mm, Outer diameter without Spider=190mm, inner diameter= 165mm, spider number=10, spider diameter=49mm	
8	<b>matrix plate</b> Specification: 1.5*1 meter Matrix Plate- length 1.5meter, width-1meter thickness 5mm Gap between matrix plate 25mm Gap between matrix rod 45mm Matrix rod dia 8mm	

NB: i. Please specify the brand name of the items, where applicable, and provide a clear and detailed description of the product being offered.

ii. For clarity and better understanding, reference images have been included in Annexure-I.



**Purchase Order  
FOR  
Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and  
Imported Items) at Payra 1320 MW Thermal Power Plant**

Purchase Order No.:

Date:

To:

**Purchase Order Value: BDT**

**Taka in words:**

**Completion date of delivery:**

**Delivery terms:**

- (a) The items shall be supplied as per the instructions and supervision of BCPCL within the above completion date. Failure to supply the items within the completion date entitled the procuring entity may terminate the Purchase Order.
- (b) VAT/Taxes, as applicable, shall be deducted at source as per law;
- (c) Payment shall be made after satisfactory completion of supply and certification of Concerned Authority.
- (d) Goods shall be delivered as per approved specification.

Hence, you are requested to supply the below mentioned goods on the terms and conditions as stipulated in the Purchase Order.

Sl. No.	Item Description	Unit of Measurement	Qty	Unit Price in BDT (Including VAT & TAX)	Total Price in BDT (Including VAT & TAX)
Total Amount (BDT)					

Thanking you,

By the approval of authority,

**(Rashed Morshed)**

Superintending Engineer (Procurement)  
Bangladesh-China Power Company Limited  
Level#5, UTC Building, 8 Panthapath, Kawran Bazar  
Dhaka-1215, Bangladesh





**Terms and Conditions**  
**for**  
**Procurement of Spare Parts for Coal Handling Plant (Req-149: OEM and Imported Items) at Payra 1320 MW Thermal Power Plant**

1. Terms and Conditions contained herein shall be binding upon both the Procuring Entity and the Supplier for the purpose of administration and management of this Contract.
2. Implementation and interpretation of these Terms and Conditions shall, in general, be under the purview of Procurement Procedures of BCPCL.
3. The Supplier shall have to complete the delivery in all respects within **42 Days** of issuing the Purchase Order in conformity with the Terms and Conditions.
4. The Supplier shall be entitled to an extension of the Delivery Schedule if the Procuring Entity delays in receiving the Goods and related services or if Force Majeure situation occurs or for any other reasons acceptable to the Procuring Entity on justifiable grounds duly recorded.
5. All delivery under the Contract shall at all times be open to examination, inspection, measurements, testing, commissioning, and supervision of the Procuring Entity or his/her authorized representative.
6. The Procuring Entity shall check and verify the delivery made by the Supplier in conformity with the Technical Specifications and notify the Supplier of any Defects found.
7. If the Goods are found to be defective or otherwise not in accordance with the specifications, the Procuring Entity may reject the supplies by giving due notice to the Supplier, with reasons.
8. The Supplier shall be entirely responsible for payment of all taxes, duties, fees, and such other levies under the Applicable Law.
9. Notwithstanding any other practice, the payment shall be based on the actual delivery of goods on the basis of the quantity of each item of Goods in accordance with the Priced Schedule and Specifications. 100% of the Contract price of the Goods and related services shall be paid after submission and acceptance of the Delivery Chalan.
10. The Supplier's rates or prices shall be inclusive of profit and overhead and, all kinds of taxes, duties, fees, levies, and other charges to be paid under the Applicable Law.
11. The total Contract Price is BDT [insert figure] [in words].
12. The Supplier shall remain liable to fulfil the obligations under the Applicable Law.
13. The Supplier shall keep the Procurement Entity harmless and indemnify from any claim, loss of property or life to himself/herself, his/her workmen or staff, any staff of the Procurement Entity or any third party while delivering the Goods and related services.
14. Any claim arising out of delivery of Goods and related services shall be settled by the Supplier at his/her own cost and responsibility.
15. No modification to Scope of Supply and no Variations to the quantities ordered shall be permissible under any circumstances.





16. The Procuring Entity contracting shall amend the Contract incorporating required approved changes subsequently introduced to the original Terms and Conditions in line with the applicable law, where necessary.
17. The Procuring Entity may, by written Notice sent to the Supplier, terminate the Contract in whole or in part at any time, if the Supplier:
  - a. fails to deliver Goods and related services as per Delivery Schedule and Specifications.
  - b. in the judgement of the Procuring Entity, has engaged in any corrupt, fraudulent, collusive or coercive practices in competing for or in delivery of goods and related services.
  - c. fails to perform any other obligation(s) under the Contract.
18. The Procuring Entity and the Supplier shall use their best efforts to settle amicably all possible disputes arising out of or in connection with this Contract or its interpretation.
19. The Supplier shall be subject to, and aware of provision on corruption, fraudulence, collusion and coercion with the applicable law.









## Annexure-1

SL	Item Name & Specification	Unit	Qty	Sample Picture																																																																
1	2	3	4	5																																																																
1	<p>Sampling machine belt</p> <p>Specification: 650*3*（3+1.5） L=3480mm Belt Width= 650mm, 3 layers, upper layer= 3mm, lower layer= 1.5mm.</p> <p>Manufacturer: SAIMO</p>	Set	2	<table><tr><th colspan="8">技术参数表</th></tr><tr><th>序号</th><th>名称</th><th>单位</th><th>数据</th><th>序号</th><th>名称</th><th>单位</th><th>数据</th></tr><tr><td>1</td><td>皮带厚度</td><td>mm</td><td>650-3(3+1.5)-3480, 单根</td><td>7</td><td>速度</td><td>m/s</td><td>0.048</td></tr><tr><td>2</td><td>阀门调节范围</td><td>mm</td><td>150</td><td>8</td><td>主轴承</td><td></td><td>轴面φ150X700</td></tr><tr><td>3</td><td>输出能力</td><td>t/h</td><td>5~30</td><td>9</td><td>从动轴承</td><td></td><td>轴面φ150X700</td></tr><tr><td>4</td><td>驱动电机</td><td></td><td>SAG70RST0M4</td><td>10</td><td>入料速度</td><td>mm</td><td>&lt;150</td></tr><tr><td>5</td><td>控制电机</td><td>rpm</td><td>6.4</td><td>11</td><td>注灰罐中心距</td><td>mm</td><td>1500</td></tr><tr><td>6</td><td>功率</td><td>Kw</td><td>0.55</td><td>12</td><td>输送机中心距</td><td>mm</td><td>1320</td></tr></table> 	技术参数表								序号	名称	单位	数据	序号	名称	单位	数据	1	皮带厚度	mm	650-3(3+1.5)-3480, 单根	7	速度	m/s	0.048	2	阀门调节范围	mm	150	8	主轴承		轴面φ150X700	3	输出能力	t/h	5~30	9	从动轴承		轴面φ150X700	4	驱动电机		SAG70RST0M4	10	入料速度	mm	<150	5	控制电机	rpm	6.4	11	注灰罐中心距	mm	1500	6	功率	Kw	0.55	12	输送机中心距	mm	1320
技术参数表																																																																				
序号	名称	单位	数据	序号	名称	单位	数据																																																													
1	皮带厚度	mm	650-3(3+1.5)-3480, 单根	7	速度	m/s	0.048																																																													
2	阀门调节范围	mm	150	8	主轴承		轴面φ150X700																																																													
3	输出能力	t/h	5~30	9	从动轴承		轴面φ150X700																																																													
4	驱动电机		SAG70RST0M4	10	入料速度	mm	<150																																																													
5	控制电机	rpm	6.4	11	注灰罐中心距	mm	1500																																																													
6	功率	Kw	0.55	12	输送机中心距	mm	1320																																																													
2	<p>combined aural and visual alarm</p> <p>Specification: HQSG-116/B</p> <p>Voltage: 12 V-380VAC / DC</p> <p>Power frequency: 50Hz-60Hz</p> <p>Power: 20 W-150W</p> <p>Sound pressure: 60 dB-150dB</p> <p>Working temperature: -30 ° C - 70 ° C</p> <p>Protection level: IP65</p> <p>Manufacturer : Shanghai Shuangxu Electronics Co., LTD</p>	Pcs	50																																																																	
3	<p>One feeding belt of the furnace sampling machine</p> <p>Specification: 450*3*（3+1.5）*2451 (inner circumference.</p> <p>Width=450mm, layers=3, Upper cover=</p>	Set	2																																																																	

## Annexure-1

SL	Item Name & Specification	Unit	Qty	Sample Picture
1	2	3	4	5
	3mm, lower cover=1.5mm Manufacturer: SAIMO			
4	Gear Coupling Specification: KRC1527 Manufacturer: Shenyang Electric Power Machinery General Factory	Set	1	
5	Dry fog dust suppression pipe solenoid valve Specification: NF-MXX /OLTS:230/50 WATTS:10.5W PIPE:1/2NPT RF:16mm Manufacturer: ASCO.	nos	10	
6	Polyurethane elastic block for Coupling Specification: 365×250×220×60 (12π)  Overall Outer Diameter=365mm, Outer diameter without Spider=250mm, inner diameter= 200mm, spider number=12, spider diameter=60mm	Pcs	10	
7	Polyurethane elastic block for Coupling Specification: 300×190×165×49 (10π)  Overall Outer Diameter=300mm, Outer diameter without Spider=190mm, inner diameter= 165mm, spider number=10, spider diameter=49mm	Pcs	10	



### Annexure-1

SL	Item Name & Specification	Unit	Qty	Sample Picture
1	2	3	4	5
8	matrix plate Specification: 1.5*1 meter Matrix Plate- length 1.5meter, width-1meter thickness 5mm Gap between matrix plate 25mm Gap between matrix rod 45mm Matrix rod dia 8mm	NOS	4	